

<div style="display: flex; align-items: center;"> <div style="background-color: #333; color: white; padding: 5px; font-weight: bold; font-size: 24px; margin-right: 10px;">LCID</div> <div> <p style="margin: 0;">State of North Carolina</p> <p style="margin: 0;">Department of Environment and Natural Resources</p> <p style="margin: 0;">Division of Waste Management</p> </div> </div>	<p style="margin: 0;">LAND CLEARING & INERT DEBRIS</p> <p style="margin: 0;">LANDFILL</p> <p style="margin: 0;">Facility Annual Report</p> <p style="margin: 0;">For the period of July 1, 2012-June 30, 2013</p>
--	--

According to (G.S. 130A-309.09D(b)) completed forms must be returned by August 1, 2013 and a copy of this report must be sent to the County Manager of each county from which waste was received. If you have questions or require assistance in completing this report, contact your Regional Environmental Senior Specialist.

Facility Name: Blaylock Grading Co. LCID LANDFILL Permit: 43C-LCID

Facility Website (URL): _____

Physical Address	Mailing Address
Street 1: <u>1025 Claude White Road</u>	Street 1: <u>3320 Harnett Central Road</u>
Street 2: _____	Street 2: _____
City: <u>Sanford</u> County: <u>Harnett</u>	City: <u>Angier</u>
State: <u>North Carolina</u> Zip: <u>27330</u>	State: <u>North Carolina</u> Zip: <u>27501</u>

Primary Facility Contact Person	Billing Contact Person
Name: <u>Harold G. Blaylock</u>	Name: <u>Harold G. Blaylock</u>
Phone: <u>(910) 818-8398</u> Fax: <u>(910) 814-0039</u>	Phone: <u>(910) 818-8398</u> Fax: <u>(910) 814-0039</u>
Email: <u>rsblaylock@yahoo.com</u>	Email: <u>rsblaylock@yahoo.com</u>

1. Tipping Fee: \$40.00 per Single-Axel
- Tipping Fee: \$ 45.00 per Tandom
- Tipping Fee: \$ 50.00 per Tri-Axel

2. Estimate the amount of waste taken in an average week at this facility? 120 tons cubic yards

3. How many weeks did you operate this year? 48 Weeks

4. What are the hours/days of operation for this facility? 8:00am-4:00pm

5. What is the acreage of the footprint of the waste on site as of June 30? 27 Acre(s)

6. Did your facility stop receiving waste during this past Fiscal Year? Yes No
 If so, please report the date this occurred: _____

REMINDER: According to (G.S. 130A-309.09D(b)), this report must be sent to the Regional Environmental Senior Specialist for your area and a copy of this report must be sent to the County Manager of each county from which waste was received.

Please return your completed report to:
 Robert Hearn
 1646 Mail Service Center
 Raleigh, NC 27699-1646
 phone: 919.707.8292 email: Robert.Hearn@ncdenr.gov

CERTIFICATION: I certify that the information provided is an accurate representation of the activity at this facility.

Signature: Hal G. Blaylock Digitally signed by Hal G. Blaylock
DN: cn=Hal G. Blaylock, o, ou, email=rscttbatteriesofnc@gmail.com, c=US
Date: 2013.07.29 15:16:54 -0400 Date: 07/29/2013

Name: Hal G. Blaylock Title: Partner

Phone Number: (910) 818-8398 Email: rsblaylock@yahoo.com

Facility Name: Blaylock Grading Co. LCID LANDFILL Permit: 43C - LCID

Address: 1025 Claude White Road

City: Sanford State: North Carolina Zip: 27330

Person completing Assessment: _____ Date: _____

Phone Number: _____ Fax: _____ Email: _____

Instructions: Please indicate either *Yes or No* for each Receptor and Post Closure Maintenance question. Then please determine the distance or distances for each Receptor from the *Edge of Waste* (using range finders and/or GIS maps) and type that information into the form. Please attach additional information including GIS maps, lists of potable well locations, etc.

Receptors

1. Are there Residential Dwellings Within 1,500 feet of the Edge of Waste? Yes No
 If Yes, how many? 16
 What are the three closest distances from the *Edge of Waste*? 250 Feet 250 Feet 250 Feet
2. Are there Potable Wells Within 1,500 feet of the Edge of Waste? Yes No
 If Yes, how many? _____
 What are the three closest distances from the *Edge of Waste*? _____ Feet _____ Feet _____ Feet
3. Are there Community/Municipal Wells Within 1,500 feet of the Edge of Waste? Yes No
 If Yes, how many? _____
 What are the three closest distances from the *Edge of Waste*? _____ Feet _____ Feet _____ Feet
4. Are there Surface Water Bodies Within 1,500 feet of the Edge of Waste? Yes No
 If Yes, how many? _____
 What are the three closest distances from the *Edge of Waste*? _____ Feet _____ Feet _____ Feet
 Please list the names of the water bodies: _____
5. Is Public Water Available Within 1,500 feet of the Edge of Waste? Yes No
 If Yes, how many of the Residential Dwellings noted above are connected? ALL

Corrective Measures

6. Is there an active methane extraction system (blower, flare, etc.)? Yes No
7. Is there a passive methane extraction system (trench, vents in cap, flare, etc.)? Yes No
8. Is there groundwater remediation taking place on site? Yes No
 If Yes, what is the specific remedial technology used? _____

Comments