

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section


SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

P0080 042

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Cranston Printworks Landfill Location Fletcher

Date of Last Evaluation 11/25/98




I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section 0505

A. Specific Violation(s) by number and letter.



III. Other Violations of Rule or Law

IV. Evaluator's Comments Cranston Printworks closed in April - Landfill covered with soil + seeded, awaiting closure approval from engineering/Permitting section -

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 6-11-98 Solid Waste Section [Signature]

PO 080

042

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES
 Division of Solid Waste Management
 Solid Waste Section
SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson
 Name of Facility Cranston Printworks Landfill Location High 25, Fletcher
 Date of Last Evaluation 6/26/97

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated



II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 13B Section 0505

A. Specific Violation(s) by number and letter.

Closure Activities Underway - Final soil cover being placed over waste -

No violations noted.

III. Other Violations of Rule or Law

IV. Evaluator's Comments

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 11-25-97 Solid Waste Section [Signature]

p0080

042

3

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

INDUS

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Crimston Printworks Landfill Location High 25, Fletcher

Date of Last Evaluation 4/3/97

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

T

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section 0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments Landfilling of Legums completed. Consultant needs to initiate closure processes.

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 6/26/97 Solid Waste Section [Signature]

PC080

042

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

INDUS

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Cranston Printworks Landfill Location Highway 25, Fletcher

Date of Last Evaluation 12/9/96

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

landfill in process of closing -

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments _____

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 4-3-97 Solid Waste Section [Signature]

DEHNR 3793 (Part I White: Facility Part II Canary: Central Office Part III Pink: Regional Office)

Solid Waste Section (Review 7/94)

P0080

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES
Division of Solid Waste Management
Solid Waste Section
SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson
Name of Facility Cranston Printworks Landfill Location 14 25 Fletcher
Date of Last Evaluation 9/26/96

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section 0505

A. Specific Violation(s) by number and letter.

landfill has stopped receiving waste - Closure plans
being developed

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments

Write letter to Jim Coffey stating landfill will be
closing & will not be affected by new regulations

V. Continuation Page Required? Yes No

Receiving Signature

Donald H. Greene

Evaluation Date 12-10-96

Solid Waste Section

Jim E. Patten

P0080

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Conston Printworks Location Hwy 25, Fletcher

Date of Last Evaluation 3/14/96

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.
Landfill soon to begin closure process

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments _____

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 9/26/96 Solid Waste Section [Signature]

PO080

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES
Division of Solid Waste Management
Solid Waste Section
SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson
Name of Facility Cranston Printworks Landfill Location Hgh 255, Fletcher
Date of Last Evaluation 3/14/96

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section 0505

A. Specific Violation(s) by number and letter. _____

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments Will complete filling area this summer and close landfill areas out

V. Continuation Page Required? Yes No Receiving Signature [Signature]
Evaluation Date 6-3-96 Solid Waste Section James E. Patterson - Jim

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES
Division of Solid Waste Management
Solid Waste Section

P00807
3/25/96
I

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # ~~45~~ 45-03 County Henderson
Name of Facility Crimston Printworks Landfill Location Hgh 255, Fletcher
Date of Last Evaluation 11/21/95

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments logs oaks nearby capacity

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 3/14/96 Solid Waste Section [Signature]

70080

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES
Division of Solid Waste Management
Solid Waste Section
SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial landfill Permit # 45-03 County Henderson
Name of Facility Crampton Printworks Location H.R. 25, Helix
Date of Last Evaluation 8/8/95

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 13B Section 0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments landfill nearing capacity -

V. Continuation Page Required? Yes No Receiving Signature Donald Greene
Evaluation Date 11-21-95 Solid Waste Section John E. Patten

P0080

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Cranston Printworks Landfill Location Hgh 25, Hctdce

Date of Last Evaluation 6-22-95

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments Landfill area has reached capacity. Closure processes to begin in near future.

V. Continuation Page Required? Yes No Receiving Signature [Signature]
Evaluation Date 8/8/95 Solid Waste Section [Signature]

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

POO 80

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Carrington Printworks Landfill Location Hsh. 25, Fletcher

Date of Last Evaluation 3/10/95

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments Landfill area nearing capacity -

V. Continuation Page Required? Yes No Receiving Signature Donald L. Greene

Evaluation Date 6-22-95 Solid Waste Section Jan E. Patten

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Cranston Printworks Landfill Location Hgh. 25, Fletcher

Date of Last Evaluation 12/19/94

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505


A. Specific Violation(s) by number and letter. _____

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments No Violations Noted -

V. Continuation Page Required? Yes No Receiving Signature _____

Evaluation Date 3/10/95 Solid Waste Section _____



26080

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

PD080

13

Type of Facility Industrial Landfill Permit # 45-03 County HENDERSON

Name of Facility CRAIGSTON PRINTWORKS LANDFILL Location Hgh. 25, Fletcher

Date of Last Evaluation 9/27/94

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section 0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments DISPOSAL AREA NEARING CAPACITY -

V. Continuation Page Required? Yes No Receiving Signature MINILED TO CONTACT PERSON -

Evaluation Date 12-19-94 Solid Waste Section James E. Patterson

PO 20

19

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility Cranston Printworks Location Hgh 25, Fletcher

Date of Last Evaluation 5/16/94

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 13B Section 0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments _____

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 9-27-94 Solid Waste Section [Signature]

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT



Type of Facility Industrial landfill Permit # 45-03 County Henderson

Name of Facility Cranston Print Works landfill Location _____

Date of Last Evaluation 3/3/94

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments NO VIOLATIONS OBSERVED. Ash ^{beirs} placed in cell.

V. Continuation Page Required? Yes No Receiving Signature [Signature]


Evaluation Date 5/16/94 Solid Waste Section [Signature]

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT



16

Type of Facility Industrial Landfill Permit # 45-03 County Henderson

Name of Facility CRANSTON PRINTWORKS LANDFILL Location Hgh 25, Fletcher

Date of Last Evaluation _____

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments Ash has been placed into "laguna" recently

V. Continuation Page Required? Yes No Receiving Signature Goby Rife

Evaluation Date 3/13/94 Solid Waste Section James E. Pusterman

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES


Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

127

9



Type of Facility Sanitary Landfill Permit # 45-03 County Healden

Name of Facility Cromston Printworks Landfill Location US 25, Healden

Date of Last Evaluation 6/2/93

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments NO VIOLATIONS

V. Continuation Page Required? Yes No Receiving Signature Donald H. Greene


Evaluation Date 7/23/93 Solid Waste Section Jan S. Patten

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT



Type of Facility Sanitary Landfill Permit # 45-03 County Henderson JUN 16 1993

Name of Facility Cornston Printworks Landfill Location US 25, Fletcher

Date of Last Evaluation 2/16/93

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section 20505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments Landfill has not been used for several months

V. Continuation Page Required? Yes No Receiving Signature [Signature]


Evaluation Date 6-2-93 Solid Waste Section [Signature]

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT



Type of Facility Sanitary Landfill Permit # _____ County Henderson

Name of Facility Cranston Printworks Landfill Location US 25, Fletcher

Date of Last Evaluation 8/25/92

I. Permit Conditions Followed Yes _____ No _____ N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes _____ No

15A N.C. Admin. Code 138 Section 0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments Disposal area not used since last inspection - Plans to close prior to Oct 93

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 2/16/93 Solid Waste Section [Signature]
DEHNR 3793 (Part I White: Facility Part II Canary: Central Office Part III Pink: Regional Office)
Solid Waste Section (Review 7/94)

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

20


Type of Facility Sanitary Landfill Permit # 4503 County Henderson

Name of Facility Cannonston Printworks Location High 25 - Durham

Date of Last Evaluation 6/11/92

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____



II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section _____

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments _____

V. Continuation Page Required? Yes No Receiving Signature [Signature]

Evaluation Date 8/26/92 Solid Waste Section [Signature]

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT


Type of Facility Sanitary Landfill Permit # 45-03 County HENDERSON

Name of Facility CRAVSTON PRINTWORKS LANDFILL Location US 25, Fletcher

Date of Last Evaluation 3-13-92

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated



II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 13B Section

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments "LAGOONS" are only utilized ONCE OR twice a year for ash disposal. MAKE SURE that ALL ash being disposed of in the future is weighed prior to disposal to comply with existing requirements.

V. Continuation Page Required? Yes No Receiving Signature Johny Ribb

Evaluation Date 6-11-92 Solid Waste Section John E. Patterson

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section


SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

492 20

Type of Facility Shrinky Landfill Permit # 45-03 County HENDERSON

Name of Facility CRAISTON Printworks Landfill Location US 25, Fletcher

Date of Last Evaluation 5-30-91



I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 13B Section .0505

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments _____

V. Continuation Page Required? Yes No Receiving Signature Johny Gibbs

Evaluation Date 3/13/92 Solid Waste Section Carver & Puffer

Cloudy damp
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

SOLID WASTE PERMIT
457483
PERMIT NUMBER
JUN 04 1991

NAME OF SITE <i>Granston Print work Lodgepole</i>		COUNTY <i>Henderson</i>
LOCATION <i>US-25</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald L. Steele</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - (a) Construction plans shall be approved and followed.
 - (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - (a) Solid waste shall be restricted into the smallest area feasible.
 - (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - (a) Surface water shall be diverted from the operational area.
 - (b) Surface water shall not be impounded over or in waste.
 - (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - (b) Solid waste shall not be disposed of in water.
 - (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - (a) Open burning of solid waste is prohibited.
 - (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - (a) A site shall only accept those solid wastes which it is permitted to receive.
 - (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: *Closing out landfill - cover with 2 feet of soil or 4" seed - closing this summer.*


DATE: *5/30/91* NAME: *Greg R. Steyer*
Solid and Hazardous Waste Management Branch

Clear
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER

NAME OF SITE <u>Cranston Printworks Landfill</u>	COUNTY <u>Henderson</u>
LOCATION <u>US 25 - Fletcher</u>	SIGNATURE OF PERSON(S) RECEIVING REPORT <u>[Signature]</u>




SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: In process of closing out in spring.

DATE: 2/12/91 NAME: Allen R. Setzer
Solid and Hazardous Waste Management Branch

NAME OF SITE CRANSTON PRINTWORKS LANDFILL		COUNTY Henderson
LOCATION US 25, Fletcher	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>[Signature]</i>	



SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: GRADE AND COVER COMPLETED LAGOON WITH 2' OF COMPACTED

SOIL; THEN STABILIZE WITH VEGETATION

DATE: 11-21-90 NAME: Jimmie E. Patterson
Solid and Hazardous Waste Management Branch

DEC 10 1990

Clean
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER
COUNTY Henderson
SEP 7 1990

NAME OF SITE <u>Cranston Printworks landfill</u>	COUNTY <u>Henderson</u>
LOCATION <u>US 25 Fletcher</u>	SIGNATURE OF PERSON(S) RECEIVING REPORT <u>Donald J. Greene</u>

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.


REMARKS: # 2 Lagoon filled; level flycatch & cover this area with 2' soil

DATE: 8/21/90 NAME: James E. Patterson
Solid and Hazardous Waste Management Branch SEP 7 1990

Clear
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER



NAME OF SITE <u>Cranston Printworks Landfill</u>		COUNTY <u>Henderson</u>
LOCATION <u>US 25, Ditched</u>		SIGNATURE OF PERSON RECEIVING REPORT <u>Donald [Signature]</u>

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____

DATE: 4/25/90 NAME: James E. Patterson
Solid and Hazardous Waste Management Branch



NAME OF SITE <i>Cranston Printworks Landfill</i>	COUNTY <i>Henderson</i>
LOCATION <i>US 25, Fletcher</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>[Signature]</i>

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

JAN 25 1990

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (a) Solid waste shall be restricted into the smallest area feasible.
- (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____

DATE: *1-16-1990* NAME: *James E. Patterson*
Solid and Hazardous Waste Management Branch

[Handwritten scribbles]

NAME OF SITE CRAWSTON PRINTWORKS LANDFILL		COUNTY Henderson
LOCATION US 25, FLETCHER, NC	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>[Signature]</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) ~~WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS~~
 - ~~___ (a) A site shall only accept those solid wastes which it is permitted to receive. **RUBBLE**~~
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____

DATE: **5-8-89** NAME: *[Signature]* **MAY 22 1989**
Solid and Hazardous Waste Management Branch

Wet
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER

NAME OF SITE <i>Cranston Printworks Landfill</i>	COUNTY <i>Henderson</i>
LOCATION <i>US 25, Fletcher</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald Greene</i>

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive. *NO RUBBLE*
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____

MAR 02 1989

DATE: *2-13-89* NAME: *James E. Patterson*
Solid and Hazardous Waste Management Branch

PT. CLOUDY
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER

RECEIVED
NOV 03 1988
SOLID WASTE BRANCH

NAME OF SITE CRANSTON Printworks Landfill		COUNTY Henderson
LOCATION: US 25, Fletcher, NC		SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald H. Greene</i>

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive. **SITE NOT PERMITTED FOR RUBBLE**
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

DATE: **10-25-88**


NAME: *James E. Pettus*
Solid and Hazardous Waste Management Branch

CLEAR
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION OF SANITARY LANDFILLS

45-03
PERMIT NUMBER

NAME OF SITE CRANSTON PRINTWORKS LANDFILL	COUNTY Henderson
LOCATION U.S 25, Fletcher N.C.	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Robert Greene</i>



SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which is permitted to receive. *Small amt of wood mfr. in 1988*
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____

DATE: 7-6-88 NAME: James E. Patterson
Solid and Hazardous Waste Management Branch



CLEAR
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

ENTERED 5-03
PERMIT NUMBER

NAME OF SITE

CRANSTON PRINTWORKS LANDFILL

LOCATION

US 25, FLETCHER, NC

SIGNATURE OF PERSON(S) RECEIVING REPORT

John E. Patterson

COUNTY

Henderson

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: #1 Lagoon has been closed out (2' of soil has been placed over waste


And the area seeded) looks good

DATE: 4-20-88

NAME: *John E. Patterson*

Solid and Hazardous Waste Management Branch

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS



NAME OF SITE Cranston Printworks Landfill		COUNTY Anderson
LOCATION US 25, Fletcher		SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

Close out #1 area

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____

DATE: **1-19-88**

NAME:
Solid and Hazardous Waste Management Branch

JM



NAME OF SITE CRANSTON PRINT WORKS LANDFILL		COUNTY HENDERSON
LOCATION US 25, FLETCHER N.C.	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald L. Greer</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth. *Complete closing but #1 L19600P*
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: _____


DATE: 11-10-87 NAME: *James E. Patterson*
 Solid and Hazardous Waste Management Branch

12-4-87
SSY

Cloudy
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER



NAME OF SITE CRANSTON PRINTWORKS LANDFILL		COUNTY Henderson Co.
LOCATION US 25 Fletcher NC	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>[Signature]</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.


REMARKS: complete closing out lagoon that has been filled - 2' final cover and stabilize with grass

DATE: 8/19/87 NAME: James E. Patterson
Solid and Hazardous Waste Management Branch



GOOD
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS



45-03
PERMIT NUMBER

NAME OF SITE CRADSTON PRINTWORKS Landfill		COUNTY ANDERSON
LOCATION US 25, FLETCHER	SIGNATURE OF PERSON(S) RECEIVING REPORT Donald J. Green	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - (a) Construction plans shall be approved and followed.
 - (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - (a) Solid waste shall be restricted into the smallest area feasible.
 - (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - (a) Surface water shall be diverted from the operational area.
 - (b) Surface water shall not be impounded over or in waste.
 - (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - (b) Solid waste shall not be disposed of in water.
 - (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - (a) Open burning of solid waste is prohibited.
 - (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - (a) A site shall only accept those solid wastes which it is permitted to receive.
 - (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

DATE: 5-4-87 NAME: James E. Patterson
Solid and Hazardous Waste Management Branch

NAME OF SITE CRAWSTON PRINT WORKS LANDFILL		COUNTY HENDERSON
LOCATION US 25, Fletcher	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald L. Greene</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (a) Solid waste shall be restricted into the smallest area feasible.
- (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: Some water standing in lagoons - may be either surface or ground

water - no waste has been disposed of since last inspected

DATE: 2/5/87 NAME: James E. Patton
Solid and Hazardous Waste Management Branch



NAME OF SITE CRANSTON PRINT WORKS LANDFILL		COUNTY HENDERSON
LOCATION US 25, FLETCHER, N.C.	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald R. Greene</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (a) Solid waste shall be restricted into the smallest area feasible.
- (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.


(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

DATE: **11-18-86**

NAME: *Jan E. Paterson*
Solid and Hazardous Waste Management Branch



GOOD

WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER

NAME OF SITE CRANSTON PRINT WORKS	COUNTY HENDERSON
LOCATION US 25, Fletcher, N.C.	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>A. Donald L. Greene</i>

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (a) Solid waste shall be restricted into the smallest area feasible.
- (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.


(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

DATE: 9/24/86

NAME: James E. Patterson
Solid and Hazardous Waste Management Branch



NAME OF SITE CRANSTON PRINT WORKS CO. LANDFILL		COUNTY HENDERSON
LOCATION US 25, FLETCHER	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Donald L. Greene</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (a) Solid waste shall be restricted into the smallest area feasible.
- (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

NO VIOLATIONS

DATE: 5/20/86

NAME: James E. Patterson
Solid and Hazardous Waste Management Branch



OK
Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

45-03
Permit Number

INSPECTION FORM FOR SANITARY LANDFILLS

CRAWSTON PAINT WORKS LF
Name of Site


AENEASIN
County

US 25
Location

Donald J. Greene
Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

- | | |
|--|--|
| <p>1. PLAN REQUIREMENTS</p> <p><input type="checkbox"/> Site plan approved</p> <p><input type="checkbox"/> Construction plans approved</p> <p><input type="checkbox"/> Plans being followed</p> <p>2. SPREADING & COMPACTING</p> <p><input type="checkbox"/> Waste restricted to the smallest area practicable</p> <p><input type="checkbox"/> Waste properly compacted</p> <p>3. COVER REQUIREMENTS</p> <p><input type="checkbox"/> Six inches daily cover</p> <p><input type="checkbox"/> Two foot final cover</p> <p><input type="checkbox"/> One foot intermediate cover</p> <p>4. DRAINAGE CONTROLLED</p> <p><input type="checkbox"/> On-site erosion</p> <p><input type="checkbox"/> Off-site siltation</p> <p><input type="checkbox"/> Erosion control devices</p> <p><input type="checkbox"/> Seeding of completed areas</p> <p><input type="checkbox"/> Temporary seeding</p> <p>5. WATER PROTECTION</p> <p><input type="checkbox"/> Off-site leaching</p> <p><input type="checkbox"/> Waste placed in water</p> <p><input type="checkbox"/> Surface water impounded</p> <p><input type="checkbox"/> Monitoring wells installed</p> | <p>6. ACCESS</p> <p><input type="checkbox"/> Attendant on duty</p> <p><input type="checkbox"/> Access controls</p> <p><input type="checkbox"/> All weather road</p> <p><input type="checkbox"/> Dust controlled</p> <p>7. BURNING</p> <p><input type="checkbox"/> Evidence of burning</p> <p><input type="checkbox"/> Fire control equipment available</p> <p>8. SPECIAL WASTES</p> <p><input type="checkbox"/> Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately</p> <p>9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION</p> <p><input type="checkbox"/> Type _____</p> <p>10. VECTOR CONTROL</p> <p><input type="checkbox"/> Effective control measures</p> <p>11. MISCELLANEOUS</p> <p><input type="checkbox"/> Blowing material controlled</p> <p><input type="checkbox"/> Proper signs posted</p> |
|--|--|



REMARKS: _____

DATE 1/9/85

NAME J. W. Moore
Solid & Hazardous Waste Management Branch

OK
Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

DMJ III
45-03
Permit Number

INSPECTION FORM FOR SANITARY LANDFILLS

CRANSTON PRINT WORKS LANDFILL
Name of Site HEMPHRESON
County

US 25
Location Donald D. Greene
Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

- Type _____
- _____
- _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted

REMARKS: _____

DATE 10/4/84

NAME DW Moore
Solid & Hazardous Waste Management Branch

OK
Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

J.M.P.
Permit Number 45-20

INSPECTION FORM FOR SANITARY LANDFILLS

Erneston Print Works Landfill
Name of Site Henderson County

US 25
Location [Signature] Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

- 1. PLAN REQUIREMENTS
 - Site plan approved
 - Construction plans approved
 - Plans being followed
- 2. SPREADING & COMPACTING
 - Waste restricted to the smallest area practicable
 - Waste properly compacted
- 3. COVER REQUIREMENTS
 - Six inches daily cover
 - Two foot final cover
 - One foot intermediate cover
- 4. DRAINAGE CONTROLLED
 - On-site erosion
 - Off-site siltation
 - Erosion control devices
 - Seeding of completed areas
 - Temporary seeding
- 5. WATER PROTECTION
 - Off-site leaching
 - Waste placed in water
 - Surface water impounded
 - Monitoring wells installed
- 6. ACCESS
 - Attendant on duty
 - Access controls
 - All weather road
 - Dust controlled
- 7. BURNING
 - Evidence of burning
 - Fire control equipment available
- 8. SPECIAL WASTES
 - Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately
- 9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION
 - Type _____
 - _____
 - _____
- 10. VECTOR CONTROL
 - Effective control measures
- 11. MISCELLANEOUS
 - Blowing material controlled
 - Proper signs posted



REMARKS: _____

DATE 8/2/84 NAME [Signature]
Solid & Hazardous Waste Management Branch

AK

45-13

Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

Permit Number

INSPECTION FORM FOR SANITARY LANDFILLS

Granston Print 11 holes Landfill Haywood
Name of Site County

US 25 [Signature]
Location Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

- Type _____
- _____
- _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted



REMARKS: _____

DATE 6/26/84 NAME [Signature]
Solid & Hazardous Waste Management Branch

JMF III 4-7-84

Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

Permit Number

INSPECTION FORM FOR SANITARY LANDFILLS

Camp Point Waste Lp
Name of Site

Hunterdon
County

US 26
Location

W. J. ...
Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

- Type _____
- _____
- _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted



REMARKS:

DATE

3/30/84

NAME

W. J. ...
Solid & Hazardous Waste Management Branch

[Handwritten signature] 498

Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

Permit Number

INSPECTION FORM FOR SANITARY LANDFILLS

Name of Site

County

Location

Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

- Type _____
- _____
- _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted

REMARKS:

DATE

NAME

Solid & Hazardous Waste Management Branch

JMF

Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

Permit Number

INSPECTION FORM FOR SANITARY LANDFILLS

Sanitary Landfill
Name of Site _____ County _____

12/2/82
Location _____ Signature of Person(s) Receiving Report _____

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

- Type _____
- _____
- _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted

REMARKS: _____

DATE _____ NAME _____

Solid & Hazardous Waste Management Branch

amy 3
Permit Number

Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

INSPECTION FORM FOR SANITARY LANDFILLS

Name of Site _____ County _____
Location _____ Signature of Person(s) Receiving Report _____

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

- 1. PLAN REQUIREMENTS
 - ___ Site plan approved
 - ___ Construction plans approved
 - ___ Plans being followed
- 2. SPREADING & COMPACTING
 - ___ Waste restricted to the smallest area practicable
 - ___ Waste properly compacted
- 3. COVER REQUIREMENTS
 - ___ Six inches daily cover
 - ___ Two foot final cover
 - ___ One foot intermediate cover
- 4. DRAINAGE CONTROLLED
 - ___ On-site erosion
 - ___ Off-site siltation
 - ___ Erosion control devices
 - ___ Seeding of completed areas
 - ___ Temporary seeding
- 5. WATER PROTECTION
 - ___ Off-site leaching
 - ___ Waste placed in water
 - ___ Surface water impounded
 - ___ Monitoring wells installed
- 6. ACCESS
 - ___ Attendant on duty
 - ___ Access controls
 - ___ All weather road
 - ___ Dust controlled
- 7. BURNING
 - ___ Evidence of burning
 - ___ Fire control equipment available
- 8. SPECIAL WASTES
 - ___ Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately
- 9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION
 - ___ Type _____
 - _____
 - _____
- 10. VECTOR CONTROL
 - ___ Effective control measures
- 11. MISCELLANEOUS
 - ___ Blowing material controlled
 - ___ Proper signs posted

REMARKS: _____

DATE _____ NAME _____

Solid & Hazardous Waste Management Branch

Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

Permit Number

51

INSPECTION FORM FOR SANITARY LANDFILLS

JMP

Name of Site

County

Location

Signature of Person(s) Receiving Report

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

- Type _____
- _____
- _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted

REMARKS:

DATE

NAME

Solid & Hazardous Waste Management Branch

7/15
Weather Conditions

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

JMF

Permit Number *52*

INSPECTION FORM FOR SANITARY LANDFILLS

Conston Landfill
Name of Site _____ County *Henderson*

U.S. #2
Location _____ Signature of Person(s) Receiving Report _____

SIR: An inspection of your land disposal site has been made this date and you are notified of the violations, if any, marked below with a cross (X).

1. PLAN REQUIREMENTS

- Site plan approved
- Construction plans approved
- Plans being followed

2. SPREADING & COMPACTING

- Waste restricted to the smallest area practicable
- Waste properly compacted

3. COVER REQUIREMENTS

- Six inches daily cover
- Two foot final cover
- One foot intermediate cover

4. DRAINAGE CONTROLLED

- On-site erosion
- Off-site siltation
- Erosion control devices
- Seeding of completed areas
- Temporary seeding

5. WATER PROTECTION

- Off-site leaching
- Waste placed in water
- Surface water impounded
- Monitoring wells installed

6. ACCESS

- Attendant on duty
- Access controls
- All weather road
- Dust controlled

7. BURNING

- Evidence of burning
- Fire control equipment available

8. SPECIAL WASTES

- Spoiled food, animal carcasses, abattoir waste, hatchery waste, etc., covered immediately

9. UNAUTHORIZED WASTES ACCEPTED WITHOUT WRITTEN PERMISSION

Type _____

10. VECTOR CONTROL

- Effective control measures

11. MISCELLANEOUS

- Blowing material controlled
- Proper signs posted

REMARKS: _____

DATE *10/15/82*

NAME *[Signature]*
Solid & Hazardous Waste Management Branch

Wet
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

45-03
PERMIT NUMBER

NAME OF SITE CRANSTON PRINTWORKS LANDFILL	COUNTY Henderson
LOCATION US 25, Fletcher	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>Johnnie</i>

RECEIVED
LANDFILL
JUL 31 1989
SOLID WASTE BRANCH

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (a) Solid waste shall be restricted into the smallest area feasible.
- (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

DATE: 7-18-89 NAME: James E. Pritchard AUG 02 1989
Solid and Hazardous Waste Management Branch