OPERATION/CONSTRUCTION MANAGERS

Municipal Services

CIVIL/SANITARY ENGINEERS

Engineering Company, P.A.

April 8, 2010

Ms. Jaclynne Drummond
Solid Waste Section
Division of Waste Management
North Carolina Department of Environment and Natural Resources
401 Oberlin Road, Suite 150
Raleigh, NC 27605

Re: Monitored Natural Attenuation Sampling Progress Report
Lenoir County Landfill
LaGrange, NC 28501

Permit No. 54-03
MESCO Project No. G07062.0

Dear Ms. Drummond:

The Lenoir County Closed Unlined Municipal Solid Waste Landfill (MSWLF) and Active Construction and Demolition (C&D) Landfill, currently operating under permit #54-03, has progressed with Monitored Natural Attenuation (MNA) monitoring in accordance with the Corrective Action Plan (CAP) designed by Municipal Engineering Services Company, P.A. (MESCO). This event was performed on January 12, 2010 along with traditional semi-annual water quality sampling.

As proposed in the CAP, Environment 1 reported groundwater sampling results and tested for MNA parameters from seven (7) monitoring wells (MW-1, MW-3 MW-4, MW-6, MW-9, MW-11 and MW-12). A facility map is provided on **Plate 1** illustrating monitoring well locations and general groundwater flow direction. No constituents of concern were detected above the 2L standard for this sampling event; therefore no additional plates are included in this submittal. This is the second consecutive sampling event that did not detect any constituents of concern. Sampling was conducted per the methodology listed in the approved CAP Groundwater and Surface Water Sampling and Analysis Plan.

Table 1 lists the wells with the required MNA sampling parameters results. In general the MNA parameters indicate reducing conditions Appendix 1 metals and VOC laboratory results for the current sampling event are included. As required by the Solid Waste Section an evaluation of MNA's effectiveness as a remedy will be presented in a Comprehensive MNA Evaluation Report after four sampling events are conducted.

The next semi-annual sampling event is scheduled for July 2010 and the lab results will be submitted upon completion. If you have any questions or comments regarding this sampling update, please contact me by phone at (919) 772-5393 or by email at mgerman@mesco.com.

Sincerely,
MUNICIPAL ENGINEERING SERVICES CO., P.A.

Madeline German
Geoscientist

Enclosures
cc: Mr. Tom Miller, Lenoir County

Table 1: MNA Parameters at Monitoring Well Locations Summary

Parameters	Method	mdl*	Units	MW-1	MW-3	MW-4	MW-6	MW-9	MW-11	MW-12
				01/12/10	01/12/10	01/12/10	01/12/10	01/12/10	01/12/10	01/12/10
VFA – Acetic Acid	AM23G	70	ug/L	<70	<70	<70	<70	<70	<70	<70
VFA – Butyric Acid	AM23G	70	ug/L	<70	<70	<70	<70	<70	<70	<70
VFA – Hexanoic Acid	AM23G	100	ug/L	<100	<100	<100	<100	<100	<100	<100
VFA – i-Hexanoic Acid	AM23G	100	ug/L	<100	<100	<100	<100	<100	<100	<100
VFA – i-Pentanoic Acid	AM23G	70	ug/L	<70	<70	<70	<70	<70	<70	<70
VFA – Lactic Acid	AM23G	100	ug/L	140	<100	<100	<100	<100	<100	<100
VFA – Pentaonic Acid	AM23G	70	ug/L	<70	<70	<70	<70	<70	<70	<70
VFA – Propionic Acid	AM23G	70	ug/L	71	<70	<70	<70	<70	<70	<70
VFA – Pyruvic Acid	AM23G	70	ug/L	<70	<70	<70	<70	<70	<70	<70
Hydrogen	AM20GAX	0.6	nM	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6	<0.6
Methane	AM20GAX	0.015	ug/L	0.41	0.27	74	120	12	95	2000
Ethene	AM20GAX	0.01	ug/L	<0.010	<0.010	<0.010	<0.010	<0.010	<0.010	0.086
Ethane	AM20GAX	0.01	ug/L	<0.010	<0.010	<0.010	<0.010	0.01	<0.010	<0.010
CO2-Dissolved	SM4500CO2C	1	mg/L	20	31	108	182	147	27	294
Alkalinity	SM 2320B	1000	ug/L	<1000	10000	14000	<1000	11000	<1000	<1000
Sulfate	SM426C	5000	ug/L	9100	<5000	11200	33300	35100	10100	15100
Sulfide	SM4500-S2D	100	ug/L	<100	<100	<100	<100	<100	<100	<100
Chloride	SM 4500-CLB	5000	ug/L	9000	37000	6000	5000	11000	7000	51000
TOC	SM 5310C	150	ug/L	<150	2010	5880	1210	3190	<150	7.55
COD	HACH8000	10000	ug/L	<10000	<10000	<10000	<10000	<10000	<10000	<10000
BOD	SM5210B	2000	ug/L	<2000	<2000	<2000	<2000	<2000	<2000	<2000
Iron	SM3111B	14	ug/L	50	2289	6745	168	6025	303	306
Nitrate	EPA 353.2	30	ug/L	7300	<30	<30	4110	1850	2010	590
Temperature	SM2550B	0	Degrees C	17.38	10.01	13.44	16.24	18.95	18.22	20.28
ORP	SM2580B	-900	mV	280.1	258.8	163.2	254.5	213.5	225.2	228.2
DO	SM4500OG	0	mg/L	8.02	6.61	0.67	0.78	0.62	1.23	0.25
pH	SM4500HB	0	Standard Units	4.17	4.79	5.14	4.34	4.95	4.38	4.32
Specific Conductance	SM2510B	0	umhos	105	36	82	133	170	47	224
Turbidity	SM2130B	0	NTU	53.70	25.20	21.60	10.60	8.04	2.57	29.10

Notes:
VFA = Volatile Fatty Acids
mdl* = Lowest Method Detection Limit for Lab Parameters or Lowest Field Measurement Possible

SW-3 (Previously Named SW-2)
Upstream

SW-1
Downstream

DENSE TREES

BORROW SITE

COHESIVE CAPPED CLOSED MSWLF AREA

ACTIVE C&D AREA

GENERAL GROUNDWATER FLOW DIRECTION

WASTE BOUNDARY
FILLED PRIOR TO
OCT. 9, 1994

S.R. 1524

SCALES

MW-1 80.34
MW-3 58.88
MW-4 63.04
MW-5 GONE
MW-6 75.52
MW-8 67.19
MW-9 57.22
MW-10 64.89
MW-11 65.59
MW-12 62.35

LEGEND

- GROUNDWATER CONTOURS
- EXISTING GROUND CONTOURS
- EXISTING CONTOURS
- DIVERSION DITCHES
- MW-1 MONITORING WELL

Lenoir County Active C&D Upon Closed MSWLF
January 12, 2010

WELL #	TOP OF PIPE ELEVATION (FT)	DEPTH TO WATER (FT)	WATER ELEVATION (FT)
MW-1	98.34	18.00	80.34
MW-3	63.87	4.99	58.88
MW-4	68.03	4.99	63.04
MW-6	85.56	10.04	75.52
MW-8	88.29	21.1	67.19
MW-9	62.40	5.18	57.22
MW-10	87.15	22.26	64.89
MW-11	78.26	12.67	65.59
MW-12	77.46	15.11	62.35

Municipal Engineering Services Company, P.A.
LICENSE NUMBER: C-0291
P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393
P.O. BOX 349 BOONE, N.C. 27529 (704) 262-1767

ACTIVE C&D LANDFILL OVER CLOSED MSWLF
LENOIR COUNTY
NORTH CAROLINA

DATE	DESCRIPTION	BY	REV.

SINGLE DAY POTENTIOMETRIC MAP
JANUARY 12, 2010

SCALE: 1"=100'
DATE: 3/24/10
DRWN. BY: M. GERMAN
CHKD. BY: J. PFOHL
PROJECT NUMBER G10015.0
DRAWING NO. PM
SHEET NO. PLATE 1

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6009 A

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON ,NC 28502

DATE COLLECTED: 01/12/10
DATE REPORTED : 01/22/10

REVIEWED BY:

PARAMETERS	MDL	SWSL	Well #1	Well #3	Well #4	Well #6	Well #9	Analysis Date	Analyst	Method Code
BOD, mg/l	2.0	2.0	--- U	--- U	--- U	--- U	--- U	01/13/10	TRB	SM5210B
COD, mg/l	10.0	10.0	--- U	--- U	--- U	--- U	--- U	01/14/10	TRB	HACH8000
Nitrate Nitrogen as N, mg/l	0.03	10.0	7.30 J	--- U	--- U	4.11 J	1.85 J	01/13/10	ANO	EPA353.2
Total Organic Carbon, mg/l	0.15	1.0	--- U	2.01	5.88	1.21	3.19	01/19/10	SEJ	SM5310C
Total Alkalinity, mg/l	1.0	1.0	--- U	10	14	--- U	11	01/13/10	TRB	SM2320B
Chloride, mg/l	5.0	5.0	9	37	6	5	11	01/14/10	JIJ	SM4500-CLB
Sulfate, mg/l	5.0	250.0	9.1 J	--- U	11.2 J	33.3 J	35.1 J	01/19/10	TRB	SM426C
Iron, ug/l	14.0	300.0	50 J	2289	6745	168 J	6025	01/22/10	ADD	SM3111B
Mercury, ug/l	0.03	0.20	0.041 J	--- U	--- U	--- U	0.12 J	01/14/10	LFJ	EPA200.8
Sulfide, ug/l	100	1000	--- U	--- U	--- U	--- U	--- U	01/15/10	LFJ	SM4500-S2D
Dissolved Oxygen, mg/l			8.02	6.61	0.67	0.78	0.62	01/12/10	RJH	SM4500OG
Carbon Dioxide, mg/l			20	31	108	182	147	01/13/10	TRB	SM4500CO2C
ORP, mv			280.1	258.8	163.2	254.5	213.5	01/12/10	RJH	SM2580B

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 17715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6009 A

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON ,NC 28502

DATE COLLECTED: 01/12/10
DATE REPORTED : 01/22/10

REVIEWED BY:

PARAMETERS	MDL	SWSL	Well #11	Well #12	SW-1	* SW-3	Analysis Date	Analyst	Method Code
BOD, mg/l	2.0	2.0	--- U	--- U			01/13/10	TRB	SM5210B
COD, mg/l	10.0	10.0	--- U	--- U			01/14/10	TRB	HACH8000
Nitrate Nitrogen as N, mg/l	0.03	10.0	2.01 J	0.59 J			01/13/10	ANO	EPA353.2
Total Organic Carbon, mg/l	0.15	1.0	--- U	7.55			01/19/10	SEJ	SM5310C
Total Alkalinity, mg/l	1.0	1.0	--- U	--- U			01/13/10	TRB	SM2320B
Chloride, mg/l	5.0	5.0	7	51			01/14/10	JIJ	SM4500-CLB
Sulfate, mg/l	5.0	250.0	10.1 J	15.1 J			01/19/10	TRB	SM426C
Iron, ug/l	14.0	300.0	303	306			01/22/10	ADD	SM3111B
Mercury, ug/l	0.03	0.20	--- U	--- U	--- U	--- U	01/14/10	LFJ	EPA200.8
Sulfide, ug/l	100	1000	--- U	--- U			01/15/10	LFJ	SM4500-S2D
Dissolved Oxygen, mg/l			1.23	0.25	4.54	Missing	01/12/10	RJH	SM4500OG
Carbon Dioxide, mg/l			27	294			01/13/10	TRB	SM4500CO2C
ORP, mv			225.2	228.2	228.6	Missing	01/12/10	RJH	SM2580B

* COLLECTED ON 01/11/10

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Page: Page 1 of 8
Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Laboratory Results

Total pages in data package: 8

Lab Sample #	Client Sample ID
P1001144-01	WELL #1
P1001144-02	WELL #3
P1001144-03	WELL #4
P1001144-04	WELL #6
P1001144-05	WELL #9
P1001144-06	WELL #11
P1001144-07	WELL #12

Microseeps test results meet all the requirements of the NELAC standards or provide reasons and/or justification if they do not.

Approved By: Heather Hauser ***Date:*** 2/12/10

Project Manager: Heather Hauser

The analytical results reported here are reliable and usable to the precision expressed in this report. As required by some regulating authorities, a full discussion of the uncertainty in our analytical results can be obtained at our web site or through customer service. Unless otherwise specified, all results are reported on a wet weight basis.

As a valued client we would appreciate your comments on our service.
Please call customer service at (412)826-5245 or email customerservice@microseeps.com.

Case Narrative: The client sample ID for P1001144-03 has been corrected per the client's request on 2/12/10.

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #1	Vapor	P1001144-01	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	0.410	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Lactic Acid	0.140	0.100	mg/L	AM23G	1/26/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Propionic Acid	0.071	0.070	mg/L	AM23G	1/26/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #3	Vapor	P1001144-02	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	0.270	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Lactic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Propionic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #4	Vapor	P1001144-03	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	74.000	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Lactic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Propionic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb

N - NELAC certified analysis

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #6	Vapor	P1001144-04	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	120.000	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Lactic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Propionic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb

N - NELAC certified analysis

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #9	Vapor	P1001144-05	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	0.011	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	12.000	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Lactic Acid	<0.100	0.100	mg/L	AM23G	1/26/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Propionic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/26/10	kb

N - NELAC certified analysis

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #11	Vapor	P1001144-06	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	95.000	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/27/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/27/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Lactic Acid	<0.100	0.100	mg/L	AM23G	1/27/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Propionic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb

Client Name: Environment 1, Inc.
Contact: Steve Jones
Address: PO Box 7085
114 Oakmont Drive
Greenville, NC 27835

Lab Proj #: P1001144
Report Date: 01/28/10
Client Proj Name: Lenoir County
Client Proj #: Lenoir County

Sample Description	Matrix	Lab Sample #	Sampled Date/Time	Received
WELL #12	Vapor	P1001144-07	12 Jan. 10	14 Jan. 10 12:52

Analyte(s)	Result	PQL	Units	Method #	Analysis Date	By
RiskAnalysis						
N Ethane	<0.010	0.010	ug/L	AM20GAX	1/14/10	sl
N Ethene	0.086	0.010	ug/L	AM20GAX	1/14/10	sl
N Hydrogen	<0.600	0.600	nM	AM20GAX	1/14/10	sl
N Methane	2000.000	0.015	ug/L	AM20GAX	1/14/10	sl
SemiVolatiles						
N Acetic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Butyric Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/27/10	kb
N i-Hexanoic Acid	<0.100	0.100	mg/L	AM23G	1/27/10	kb
N i-Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Lactic Acid	<0.100	0.100	mg/L	AM23G	1/27/10	kb
N Pentanoic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Propionic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb
N Pyruvic Acid	<0.070	0.070	mg/L	AM23G	1/27/10	kb

N - NELAC certified analysis

Microseeps Lab. Proj. # P10011

CHAIN - OF - CUSTODY RECORD

Microseeps COC cont. # _____

Phone: (412) 826-5245 Microseeps, Inc. - 220 William Pitt Way - Pittsburgh, PA 15238 Fax No. : (412) 826-3433

Company : ENVIRONMENT 1, INC.
Co. Address : 114 OAKMONT DR, GREENVILLE NC
Phone # : 252-756-6206 Fax # : 252-756-0635
Proj. Manager : STAN JONES
Proj. Name/Number : LENOIR COUNTY (6009)
Sampler's signature : Bob Hogue

Cooler Temp. _____

Results to : _____

Invoice to : _____

Sample ID	Sample Description	Sample Type Water	Vapor	Solid	Date	Time	# Bottles	Parameters Requested: HYARSCAN	LL UV PETT ACIDS	MTBE/BTEX/NAPTHLENE	Remarks :
WELL #1	WELL 1	✓	✓		9/12/10	NA	4	✓	✓	✓	LOWEST REPORTING
WELL #3	WEL3	✓	✓				4	✓	✓	✓	LEVELS
WELL #4R SB 2/12/10	WL4R	✓	✓				4	✓	✓	✓	
WELL #6	WEL6	✓	✓				4	✓	✓	✓	
WELL #9	WEL9	✓	✓				4	✓	✓	✓	
WELL #11	WL 11	✓	✓				4	✓	✓	✓	
WELL #12	WL 12	✓	✓		↓	↓	4	✓	✓	✓	

Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :
[signature]	ENVIRONMENT 1	1/18/10	9:00A	[signature]	[signature]	1/19	[illegible]
Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :
Relinquished by :	Company :	Date :	Time :	Received by :	Company :	Date :	Time :

WHITE COPY : Accompany Samples YELLOW COPY : Laboratory File PINK COPY : Submitter

Environmental, Inc.
P.O. Box 7085, 114 Oakmont Dr.
Greenville, NC 27858

Phone (252) 756-6208 • Fax (252) 756-0633

CHAIN OF CUSTODY RECORD

CLIENT: 6009 A **Week: 4**

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON NC 28502

(252) 566-5408

DISINFECTION
- ☐ CHLORINE
- ☐ UV
- ☐ NONE
- ☐ _____

SAMPLE LOCATION		COLLECTION DATE	COLLECTION TIME	TOTAL CHLORINE, mg/l AT COLLECTION	TEMPERATURE, °C AT COLLECTION	# OF CONTAINERS	BOD	COD	Nitrate	TOC	Alkalinity	Chloride	Sulfate	Metals	Sulfide	DO	CO2	ORP
							P	P	P	P	P	P	P	P	P	P	P	P
							A	C	A	C	A	A	A	A	F D	A	A	A
Well #1	01	12 10	1505		12.38	11	G	G	G	G	G	G	G	G	G	G	G	G
Well #3	01	12 10	1230		10.01	11	G	G	G	G	G	G	G	G	G	G	G	G
Well #4R	01	12 10	1310		13.44	11	G	G	G	G	G	G	G	G	G	G	G	G
Well #6	01	12 10	1420		16.04	11	G	G	G	G	G	G	G	G	G	G	G	G
Well #9	01	12 10	1145		18.95	11	G	G	G	G	G	G	G	G	G	G	G	G
Well #11	01	12 10	1015		18.22	11	G	G	G	G	G	G	G	G	G	G	G	G
Well #12	01	12 10	1055		20.08	11	G	G	G	G	G	G	G	G	G	G	G	G
SW-1	01	12 10	1335		5.95	2								G		G		G
~~SW-3~~	01	1 10	1215		5	2								G		G		G

CHLORINE NEUTRALIZED AT COLLECTION

pH CHECK (LAB) <2 <2 >9

CONTAINER TYPE, P/G

CHEMICAL PRESERVATION

PARAMETERS

A - NONE D - NAOH
B - HNO_3 E - HCL
C - H_2SO_4 F - ZINC ACETATE
G - NA THIOSULFATE

CLASSIFICATION:
- ☐ WASTEWATER (NPDES)
- ☐ DRINKING WATER
- ☐ DWQ/GW
- ☒ SOLID WASTE SECTION

CHAIN OF CUSTODY MAINTAINED DURING SHIPMENT/DELIVERY
(Y) N

SAMPLES COLLECTED BY: (Please Print)
H Dagg | Fox

SAMPLES RECEIVED IN LAB AT 0.2 °C

RELINQUISHED BY (SIG.) (SAMPLER)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
Bob H Dagg 01	12 10		
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME

COMMENTS:
SW 3 WAS COLLECTED 1535 12/15/10
NOT NO DI/ORP

PLEASE READ Instructions for completing this form on the reverse side.

Sampler must place a "C" for composite sample or a "G" for Grab sample in the blocks above for each parameter requested.

FORM #5

№ 199034

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6009

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON ,NC 28502

DATE COLLECTED: 01/12/10
DATE REPORTED : 02/05/10

REVIEWED BY: _____

PARAMETERS	MDL	SWSL	Well #1	Well #3	Well #4	Well #6	Well #8	Analysis Date	Analyst	Method Code
PH (field measurement), Units			4.17	4.79	5.14	4.34		01/12/10	RJH	SM4500HB
Antimony, ug/l	0.06	6.0	0.1 J	--- U	0.1 J	0.1 J		01/14/10	LFJ	EPA200.8
Arsenic, ug/l	0.17	10.0	0.2 J	0.5 J	2.1 J	--- U		01/14/10	LFJ	EPA200.8
Barium, ug/l	0.04	100.0	45.8 J	31.5 J	21.7 J	51.5 J		01/14/10	LFJ	EPA200.8
Beryllium, ug/l	0.06	1.0	0.1 J	--- U	--- U	0.1 J		01/14/10	LFJ	EPA200.8
Cadmium, ug/l	0.04	1.0	0.1 J	--- U	--- U	0.1 J		01/14/10	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	1.5 J	0.1 J	0.5 J	0.6 J		01/14/10	LFJ	EPA200.8
Copper, ug/l	0.04	10.0	1.2 J	0.4 J	0.5 J	0.2 J		01/14/10	LFJ	EPA200.8
Total Chromium, ug/l	0.10	10.0	--- U	0.8 J	0.6 J	--- U		01/14/10	LFJ	EPA200.8
Lead, ug/l	0.04	10.0	0.8 J	0.4 J	--- U	0.6 J		01/14/10	LFJ	EPA200.8
Nickel, ug/l	0.04	50.0	1.6 J	0.4 J	0.6 J	0.8 J		01/14/10	LFJ	EPA200.8
Selenium, ug/l	0.12	10.0	--- U	--- U	--- U	--- U		01/14/10	LFJ	EPA200.8
Silver, ug/l	0.04	10.0	0.7 J	0.1 J	0.1 J	0.1 J		01/14/10	LFJ	EPA200.8
Thallium, ug/l	0.03	5.0	0.1 J	--- U	--- U	--- U		01/14/10	LFJ	EPA200.8
Vanadium, ug/l	0.28	25.0	0.4 J	1.8 J	3.1 J	--- U		01/14/10	LFJ	EPA200.8
Zinc, ug/l	0.14	10.0	5.1 J	25	5.3 J	4.6 J		01/14/10	LFJ	EPA200.8
Turbidity, NTU	1.0	1.0	53.70	25.20	21.60	10.60		01/12/10	RJH	SM2130B
Conductivity (at 25c), uMhos	1.0	1.0	105	36	82	133		01/12/10	RJH	SM2510B
Temperature, °C			17.38	10.01	13.44	16.24		01/12/10	RJH	SM2550B
Static Water Level, feet			18.00	4.99	4.99	10.04	21.14	01/12/10	RJH	
Well Depth, feet			38.94	15.82	15.84	16.96		01/12/10	RJH	

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6009

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON ,NC 28502

DATE COLLECTED: 01/12/10
DATE REPORTED : 02/05/10

REVIEWED BY:

PARAMETERS	MDL	SWSL	Well #9	Well #10	Well #11	Well #12	SW-1	Analysis Date	Analyst	Method Code
PH (field measurement), Units			4.95		4.38	4.32	5.82	01/12/10	RJH	SM4500HB
Antimony, ug/l	0.06	6.0	--- U		--- U	--- U	0.1 J	01/14/10	LFJ	EPA200.8
Arsenic, ug/l	0.17	10.0	2.3 J		--- U	0.3 J	0.3 J	01/14/10	LFJ	EPA200.8
Barium, ug/l	0.04	100.0	72.8 J		25.8 J	215	51.9 J	01/14/10	LFJ	EPA200.8
Beryllium, ug/l	0.06	1.0	0.1 J		0.1 J	0.1 J	0.1 J	01/14/10	LFJ	EPA200.8
Cadmium, ug/l	0.04	1.0	0.1 J		--- U	0.2 J	--- U	01/14/10	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	11		0.2 J	2.1 J	0.6 J	01/14/10	LFJ	EPA200.8
Copper, ug/l	0.04	10.0	0.3 J		0.2 J	0.7 J	0.5 J	01/14/10	LFJ	EPA200.8
Total Chromium, ug/l	0.10	10.0	--- U		--- U	0.4 J	0.2 J	01/14/10	LFJ	EPA200.8
Lead, ug/l	0.04	10.0	0.1 J		--- U	--- U	0.2 J	01/14/10	LFJ	EPA200.8
Nickel, ug/l	0.04	50.0	3.2 J		0.4 J	3 J	0.9 J	01/14/10	LFJ	EPA200.8
Selenium, ug/l	0.12	10.0	--- U		--- U	1.3 J	--- U	01/14/10	LFJ	EPA200.8
Silver, ug/l	0.04	10.0	0.1 J		0.2 J	0.2 J	0.1 J	01/14/10	LFJ	EPA200.8
Thallium, ug/l	0.03	5.0	0.1 J		--- U	--- U	--- U	01/14/10	LFJ	EPA200.8
Vanadium, ug/l	0.28	25.0	0.6 J		--- U	0.5 J	0.5 J	01/14/10	LFJ	EPA200.8
Zinc, ug/l	0.14	10.0	11		2.3 J	1.8 J	14	01/14/10	LFJ	EPA200.8
Turbidity, NTU	1.0	1.0	16.70		8.04	2.57	29.10	01/12/10	RJH	SM2130B
Conductivity (at 25c), uMhos	1.0	1.0	170		47	224	120	01/12/10	RJH	SM2510B
Temperature, °C			18.95		18.22	20.28	5.95	01/12/10	RJH	SM2550B
Static Water Level, feet			5.18	22.26	12.67	15.11		01/12/10	RJH	
Well Depth, feet			21.82		35.61	38.39		01/12/10	RJH	

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6009

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON ,NC 28502

DATE COLLECTED: 01/12/10
DATE REPORTED : 02/05/10

REVIEWED BY: _____

PARAMETERS	MDL	SWSL	* SW-3	Trip Blank	Equipment Blank	Analysis Date	Analyst	Method Code
PH (field measurement), Units			5.8			01/11/10	RJH	SM4500HB
Antimony, ug/l	0.06	6.0	0.1 J		--- U	01/14/10	LFJ	EPA200.8
Arsenic, ug/l	0.17	10.0	0.2 J		--- U	01/14/10	LFJ	EPA200.8
Barium, ug/l	0.04	100.0	50.6 J		0.1 J	01/14/10	LFJ	EPA200.8
Beryllium, ug/l	0.06	1.0	--- U		--- U	01/14/10	LFJ	EPA200.8
Cadmium, ug/l	0.04	1.0	--- U		--- U	01/14/10	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	0.1 J		--- U	01/14/10	LFJ	EPA200.8
Copper, ug/l	0.04	10.0	0.6 J		--- U	01/14/10	LFJ	EPA200.8
Total Chromium, ug/l	0.10	10.0	0.2 J		--- U	01/14/10	LFJ	EPA200.8
Lead, ug/l	0.04	10.0	0.1 J		--- U	01/14/10	LFJ	EPA200.8
Nickel, ug/l	0.04	50.0	0.4 J		--- U	01/14/10	LFJ	EPA200.8
Selenium, ug/l	0.12	10.0	--- U		--- U	01/14/10	LFJ	EPA200.8
Silver, ug/l	0.04	10.0	--- U		0.1 J	01/14/10	LFJ	EPA200.8
Thallium, ug/l	0.03	5.0	--- U		--- U	01/14/10	LFJ	EPA200.8
Vanadium, ug/l	0.28	25.0	0.5 J		0.3 J	01/14/10	LFJ	EPA200.8
Zinc, ug/l	0.14	10.0	6.4 J		--- U	01/14/10	LFJ	EPA200.8
Turbidity, NTU	0.14	10.0						
Conductivity (at 25c), uMhos	0.14	10.0	129			01/11/10	RJH	SM2510B
Temperature, °C	0.14	10.0	5			01/11/10	RJH	SM2550B

* COLLECTED ON 01/11/10

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON, NC 28502

CLIENT ID: 6009

ANALYST: MAO
DATE COLLECTED: 01/12/10
DATE ANALYZED: 01/18/10
DATE REPORTED: 02/05/10

REVIEWED BY:

VOLATILE ORGANICS
EPA METHOD 8260B

PARAMETERS, ug/l	MDL	SWSL	Well #1	Well #3	Well #4	Well #6	Well #9
1. Chloromethane	0.77	1.0	--- U	--- U	--- U	--- U	--- U
2. Vinyl Chloride	0.63	1.0	--- U	--- U	--- U	--- U	--- U
3. Bromomethane	0.67	10.0	--- U	--- U	--- U	--- U	--- U
4. Chloroethane	0.48	10.0	--- U	--- U	--- U	--- U	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U	--- U	--- U	--- U	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U	--- U	--- U	--- U	--- U
7. Acetone	9.06	100.0	--- U	--- U	--- U	--- U	--- U
8. Iodomethane	0.26	10.0	--- U	--- U	--- U	--- U	--- U
9. Carbon Disulfide	0.23	100.0	--- U	--- U	--- U	--- U	--- U
10. Methylene Chloride	0.64	1.0	--- U	--- U	--- U	--- U	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U	--- U	--- U	--- U	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U	--- U	--- U	--- U	--- U
13. Vinyl Acetate	0.20	50.0	--- U	--- U	--- U	--- U	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U	--- U	--- U	--- U	--- U
15. 2-Butanone	2.21	100.0	--- U	--- U	--- U	--- U	--- U
16. Bromochloromethane	0.27	3.0	--- U	--- U	--- U	--- U	--- U
17. Chloroform	0.25	5.0	--- U	--- U	--- U	--- U	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U	--- U	--- U	--- U	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U	--- U	--- U	--- U	--- U
20. Benzene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U	--- U	--- U	--- U	--- U
22. Trichloroethene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
24. Bromodichloromethane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U	--- U	--- U	--- U	--- U
27. Toluene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U	--- U	--- U	--- U	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U	--- U	--- U	--- U	--- U
30. Tetrachloroethene	0.17	1.0	--- U	--- U	--- U	0.20 J	--- U
31. 2-Hexanone	1.57	50.0	--- U	--- U	--- U	--- U	--- U
32. Dibromochloromethane	0.24	3.0	--- U	--- U	--- U	--- U	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U	--- U	--- U	--- U	--- U
34. Chlorobenzene	0.30	3.0	--- U	--- U	--- U	--- U	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U	--- U	--- U	--- U	--- U
36. Ethylbenzene	0.21	1.0	--- U	--- U	--- U	--- U	--- U
37. Xylenes	0.68	5.0	--- U	--- U	--- U	--- U	--- U
38. Dibromomethane	0.28	10.0	--- U	--- U	--- U	--- U	--- U
39. Styrene	0.19	1.0	--- U	--- U	--- U	--- U	--- U
40. Bromoform	0.20	3.0	--- U	--- U	--- U	--- U	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U	--- U	--- U	--- U	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U	--- U	--- U	--- U	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U	--- U	--- U	--- U	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U	--- U	--- U	--- U	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U	--- U	--- U	--- U	--- U
46. Acrylonitrile	2.72	200.0	--- U	--- U	--- U	--- U	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON, NC 28502

CLIENT ID: 6009

ANALYST: MAO
DATE COLLECTED: 01/12/10
DATE ANALYZED: 01/18/10
DATE REPORTED: 02/05/10

REVIEWED BY:

VOLATILE ORGANICS
EPA METHOD 8260B

PARAMETERS, ug/l	MDL	SWSL	Well #11	Well #12	SW-1	Trip Blank	Equipment Blank
1. Chloromethane	0.77	1.0	--- U	--- U	--- U	--- U	--- U
2. Vinyl Chloride	0.63	1.0	--- U	0.80 J	--- U	--- U	--- U
3. Bromomethane	0.67	10.0	--- U	--- U	--- U	--- U	--- U
4. Chloroethane	0.48	10.0	--- U	--- U	--- U	--- U	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U	--- U	--- U	--- U	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U	--- U	--- U	--- U	--- U
7. Acetone	9.06	100.0	--- U	--- U	--- U	--- U	--- U
8. Iodomethane	0.26	10.0	--- U	--- U	--- U	--- U	--- U
9. Carbon Disulfide	0.23	100.0	--- U	--- U	--- U	--- U	--- U
10. Methylene Chloride	0.64	1.0	--- U	--- U	--- U	--- U	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U	--- U	--- U	--- U	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U	--- U	--- U	--- U	--- U
13. Vinyl Acetate	0.20	50.0	--- U	--- U	--- U	--- U	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U	--- U	--- U	--- U	--- U
15. 2-Butanone	2.21	100.0	--- U	--- U	--- U	--- U	--- U
16. Bromochloromethane	0.27	3.0	--- U	--- U	--- U	--- U	--- U
17. Chloroform	0.25	5.0	--- U	--- U	--- U	--- U	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U	--- U	--- U	--- U	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U	--- U	--- U	--- U	--- U
20. Benzene	0.24	1.0	--- U	2.50	--- U	--- U	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U	--- U	--- U	--- U	--- U
22. Trichloroethene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
23. 1,2-Dichloropropane	0.21	1.0	0.40 J	--- U	--- U	--- U	--- U
24. Bromodichloromethane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U	--- U	--- U	--- U	--- U
27. Toluene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U	--- U	--- U	--- U	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U	--- U	--- U	--- U	--- U
30. Tetrachloroethene	0.17	1.0	--- U	--- U	--- U	--- U	--- U
31. 2-Hexanone	1.57	50.0	--- U	--- U	--- U	--- U	--- U
32. Dibromochloromethane	0.24	3.0	--- U	--- U	--- U	--- U	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U	--- U	--- U	--- U	--- U
34. Chlorobenzene	0.30	3.0	--- U	--- U	--- U	--- U	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U	--- U	--- U	--- U	--- U
36. Ethylbenzene	0.21	1.0	--- U	--- U	--- U	--- U	--- U
37. Xylenes	0.68	5.0	--- U	--- U	--- U	--- U	--- U
38. Dibromomethane	0.28	10.0	--- U	--- U	--- U	--- U	--- U
39. Styrene	0.19	1.0	--- U	--- U	--- U	--- U	--- U
40. Bromoform	0.20	3.0	--- U	--- U	--- U	--- U	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U	--- U	--- U	--- U	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U	--- U	--- U	--- U	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U	--- U	--- U	--- U	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U	--- U	--- U	--- U	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U	--- U	--- U	--- U	--- U
46. Acrylonitrile	2.72	200.0	--- U	--- U	--- U	--- U	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON, NC 28502

CLIENT ID: 6009 B

ANALYST: MAO
DATE COLLECTED: 01/11/10
DATE ANALYZED: 01/13/10
DATE REPORTED: 02/15/10

REVIEWED BY: _____

VOLATILE ORGANICS
EPA METHOD 8260B

PARAMETERS, ug/l	MDL	SWSL	SW-3
1. Chloromethane	0.77	1.0	--- U
2. Vinyl Chloride	0.63	1.0	--- U
3. Bromomethane	0.67	10.0	--- U
4. Chloroethane	0.48	10.0	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U
7. Acetone	9.06	100.0	--- U
8. Iodomethane	0.26	10.0	--- U
9. Carbon Disulfide	0.23	100.0	--- U
10. Methylene Chloride	0.64	1.0	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U
13. Vinyl Acetate	0.20	50.0	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U
15. 2-Butanone	2.21	100.0	--- U
16. Bromochloromethane	0.27	3.0	--- U
17. Chloroform	0.25	5.0	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U
20. Benzene	0.24	1.0	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U
22. Trichloroethene	0.23	1.0	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U
24. Bromodichloromethane	0.21	1.0	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U
27. Toluene	0.23	1.0	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U
30. Tetrachloroethene	0.17	1.0	--- U
31. 2-Hexanone	1.57	50.0	--- U
32. Dibromochloromethane	0.24	3.0	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U
34. Chlorobenzene	0.30	3.0	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U
36. Ethylbenzene	0.21	1.0	--- U
37. Xylenes	0.68	5.0	--- U
38. Dibromomethane	0.28	10.0	--- U
39. Styrene	0.19	1.0	--- U
40. Bromoform	0.20	3.0	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U
46. Acrylonitrile	2.72	200.0	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Inc.
P.O. Box 7085, 114 Oakmont Dr.
Greenville, NC 27858

Phone (252) 756-6208 • Fax (252) 756-0633

CHAIN OF CUSTODY RECORD

CLIENT: 6009 **Week: 3**

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON NC 28502

(252) 566-5408

DISINFECTION
- ☐ CHLORINE
- ☐ UV
- ☐ NONE
- ☐ _____

SAMPLE LOCATION		COLLECTION DATE	COLLECTION TIME	TOTAL CHLORINE, mg/l AT COLLECTION	TEMPERATURE, °C AT COLLECTION	# OF CONTAINERS	Field pH	Metals	Turbidity	Conductivity	Temperature	Field Parameter	EPA 8260B	8260 Dup. 1	8260 Dup. 2
CHLORINE NEUTRALIZED AT COLLECTION															
pH CHECK (LAB)								12					12	12	12
CONTAINER TYPE, P/G							P	P	P	P	P		G	G	G
CHEMICAL PRESERVATION							A	A	A	A	A		E	E	E
Well #1	01	12-10	1505		17.38	5	G	G	G	G	G	G	G	G	G
Well #3	01	12-10	1230		10.01	4	G	G	G	G	G	G	G	G	
Well #4R	01	12-10	1314		13.44	4	G	G	G	G	G	G	G	G	
Well #6	01	12-10	1420		16.24	4	G	G	G	G	G	G	G	G	
Well #8	01	12-10				1						G			
Well #9	01	12-10	1145		18.95	4	G	G	G	G	G	G	G	G	
Well #10	01	12-10				1						G			
Well #11	01	12-10	1015		18.72	4	G	G	G	G	G	G	G	G	
Well #12	01	12-10	1255		20.28	4	G	G	G	G	G	G	G	G	
SW-1	01	12-10	1335		5.95	4	G	G	G	G	G		G	G	
SW-3	01	12-10	1215		5	4	G	G	G	G	G		G	G	

PARAMETERS

A - NONE D - NAOH
B - HNO_3 E - HCL
C - H_2SO_4 F - ZINC ACETATE
G - NA THIOSULFATE

CLASSIFICATION:
- ☐ WASTEWATER (NPDES)
- ☐ DRINKING WATER
- ☐ DWQ/GW
- ☒ SOLID WASTE SECTION

CHAIN OF CUSTODY MAINTAINED DURING SHIPMENT/DELIVERY
(Y) N

SAMPLES COLLECTED BY: (Please Print)
H. Hagar

SAMPLES RECEIVED IN LAB AT 0.2 °C

RELINQUISHED BY (SIG.) (SAMPLER)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
Rob Hagar	12-10		1-13 8:05
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME

COMMENTS:

~~SW-3 DRY~~ 55 2/15/10

SW3 was collected 55 2/15/10

PLEASE READ Instructions for completing this form on the reverse side.

Sampler must place a "C" for composite sample or a "G" for Grab sample in the blocks above for each parameter requested.

FORM #5

№ 195632

Environment 1, Inc.
P.O. Box 7085, 114 Oakmont Dr.
Greenville, NC 27858

Phone (252) 756-6208 • Fax (252) 756-0633

CHAIN OF CUSTODY RECORD

CLIENT: 6009 **Week: 3**

LENOIR CO. LANDFILL (OLD)
COUNTY OF LENOIR
MR. TOM MILLER
P.O. BOX 756
KINSTON NC 28502

(252) 566-5408

DISINFECTION
- ☐ CHLORINE
- ☐ UV
- ☐ NONE
- ☐ _____

SAMPLE LOCATION	COLLECTION DATE	COLLECTION TIME	TOTAL CHLORINE, mg/l AT COLLECTION	TEMPERATURE, °C AT COLLECTION	# OF CONTAINERS	Field pH	Metals	Turbidity	Conductivity	Temperature	Field Parameter	EPA 8260B	8260 Dup. 1	8260 Dup. 2
CHLORINE NEUTRALIZED AT COLLECTION														
pH CHECK (LAB)							12					12	12	12
CONTAINER TYPE, P/G						P	P	P	P	P		G	G	G
CHEMICAL PRESERVATION						A	A	A	A	A		E	E	E
Trip Blank					2							▒	▒	
Equipment Blank 91	12.10				3		▒					▒	▒	

PARAMETERS

A - NONE D - NAOH
B - HNO_3 E - HCL
C - H_2SO_4 F - ZINC ACETATE
G - NA THIOSULFATE

CLASSIFICATION:
- ☐ WASTEWATER (NPDES)
- ☐ DRINKING WATER
- ☐ DWQ/GW
- ☒ SOLID WASTE SECTION

CHAIN OF CUSTODY MAINTAINED DURING SHIPMENT/DELIVERY
(Y) N

SAMPLES COLLECTED BY:
(Please Print)
Hope Fay

SAMPLES RECEIVED IN LAB AT 0.2 °C

	DATE/TIME		DATE/TIME
RELINQUISHED BY (SIG.) (SAMPLER) Bob Hope	1210	RECEIVED BY (SIG.)	1-13 8:07
RELINQUISHED BY (SIG.)		RECEIVED BY (SIG.)	
RELINQUISHED BY (SIG.)		RECEIVED BY (SIG.)	

COMMENTS:

PLEASE READ Instructions for completing this form on the reverse side.

Sampler must place a "C" for composite sample or a "G" for Grab sample in the blocks above for each parameter requested.

FORM #5

№ 195631