60-13
8-25-99

NORTH MECKLENBURG LANDFILL INC.

15300 Holbrooks Road
Huntersville, N.C. 28078
704/875-3367
Fax 704/875-3358
A Griffin Brothers Company

Received
Solid Waste
Section

SEP 1999

Mr. Jim Coffey
North Carolina Department of Environment
Health and Natural Resources
Division of Solid Waste Management
401 Oberlin Road
Suite 150
Raleigh, North Carolina 27605

September 16, 1999

Subject: Groundwater Monitor Well Sampling Results
North Mecklenburg Landfill
Huntersville, N. C. 28078

Dear Mr. Coffey:

As required, North Mecklenburg Landfill has completed our semi-annual groundwater monitoring event. The results are discussed in the attached report (Enviro-Pro, report dated September 13, 1999.

If you have any questions, please do not hesitate to contact me at 704/875-3367.

Sincerely,

Ronald C. Gilkerson
Hydrogeologist

cc: Mr. Dennis F. Tyndall
Mecklenburg County Environmental Protection
700 North Tryon Street
Suite 205
Charlotte, North Carolina 28202-2236

ENVIRO-PRO
PROFESSIONAL CORPORATION

September 13, 1999

Mr. Larry Griffin
North Mecklenburg Landfill
15300 Holbrooks Road
Huntersville, NC 28078

RE: Semi-annual Monitor Well Sampling Results
North Mecklenburg Landfill
Huntersville, NC
Project No. EP-1217

Dear Mr. Griffin:

Enviro-Pro, P.C. is pleased to submit this report which describes the field sampling activities and summarizes the semi-annual monitor well analytical results for the subject site.

Field Sampling Activities

On August 25, 1999, Enviro-Pro personnel collected groundwater samples from on-site perimeter monitor wells MW-1, MW-4, MW-5, MW-6, MW-10 and MW-11. The approximate locations of these wells are indicated on Figure 1.

The procedures for groundwater measurement and sampling were as follows:

1) Initially, the caps on the monitor wells were removed to allow the groundwater levels to equilibrate to the ambient atmospheric pressure. Next, the depth to groundwater from a measuring point on top of the well casing was recorded. Water level measurements were obtained using an electronic water level meter. The water level probe was decontaminated between monitor wells with deionized water and isopropyl alcohol.

2) At least three well volumes were removed from each monitor well to purge stagnant water and to ensure that fresh formation water would be sampled. The wells were purged using dedicated disposable Teflon bailers.

15101 Regena Lane • Charlotte, NC 28278 • (704) 583-0075 • FAX (704) 583-2673

3) Each well was then sampled utilizing laboratory prepared containers, labeled, and packed on ice in a portable cooler for shipment to Prism Laboratories, Inc., a North Carolina-certified laboratory located in Charlotte, North Carolina. Chain-of-custody documentation is included with the analytical reports in Appendix A.

4) Quality assurance/quality control (QA/QC) measures in the field included wearing disposable sample gloves during sampling activities and changing them between sample locations to protect the groundwater samples from cross-contamination. Analytical QA/QC included a field blank and a trip blank analyzed for volatile organic compounds (EPA Method 8260). The field blank was also tested for the 8 RCRA metals.

The field information obtained is summarized on the Well Development, Purge, and Sample Record included as Appendix B. Groundwater levels declined in all of the wells, from 0.52 foot in well MW-1 to 2.27 foot in well MW-10 since the previous sampling event on April 13, 1999. The average drop in water levels for the six wells was slightly over one foot since April.

Laboratory Test Results

In accordance with regulatory requirements, the six monitor well samples were analyzed for the eight RCRA metals and volatile organic compounds (VOCs) via EPA Method 8260 by Prism Laboratories. Laboratory data sheets are attached as Appendix A, with a summary of groundwater analytical results presented in Table 1.

Laboratory test results indicated that no metals or VOC compounds were present above their respective regulatory limits in any of the well or QA/QC samples tested.

Enviro-Pro appreciates the opportunity to continue to provide our environmental services on your project. Please contact me at (704) 583-0075 if you have any questions concerning this report or when we can be of further service.

Sincerely,
ENVIRO-PRO, P.C.

Thomas H. Bolyard

Thomas H. Bolyard, P.G.
Senior Hydrogeologist



ENVIRO-PRO PROFESSIONAL CORPORATION

FIGURE 1: SITE PLAN
N. Mecklenburg Landfill
Huntersville, NC

PROJECT #	DRAWN BY	SCALE	DATE
EP-1217	THB	1"=200'	9/23/96

TABLE 1

SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
North Mecklenburg Landfill
Huntersville, North Carolina
August 25,1999 Sampling Event

	Sample I.D.								
Parameter	MW-1	MW-4	MW-5	MW-6	MW-10	MW-11	Field Blank	Trip Blank	NCAC 2L Standard
Arsenic	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	0.05
Barium	0.68	0.11	0.30	BDL	0.10	0.15	BDL	NT	2.0
Cadmium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	0.005
Chromium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	0.05
Lead	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	0.015
Mercury	BDL	0.0004	BDL	BDL	BDL	BDL	BDL	NT	0.0011
Selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	0.05
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	0.018
All 8260 Compounds	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	

Notes: BDL = Below Detection Limits
NT = Not Tested
All Metal Results Are Presented in Parts Per Million

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-1
Prism Sample ID: AB39912
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:00
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
BROMOFORM	Not detected	ug/L	5	8260	9/1/99 17:20	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/1/99 17:20	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-1
Prism Sample ID: AB39912
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:00
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
STYRENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
TOLUENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/1/99 17:20	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
ACETONE	Not detected	ug/L	50	8260	9/1/99 17:20	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/1/99 17:20	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/1/99 17:20	MP

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-1
Prism Sample ID: AB39912
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:00
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/1/99 17:20	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/1/99 17:20	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/1/99 17:20	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/1/99 17:20	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	0.68	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	Less than	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: **NMLF**
Customer Sample ID: **MW-4**
Prism Sample ID: **AB39913**
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 15:00
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
BROMOFORM	Not detected	ug/L	5	8260	9/1/99 18:01	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/1/99 18:01	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-4
Prism Sample ID: AB39913
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 15:00
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
STYRENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
TOLUENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/1/99 18:01	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
ACETONE	Not detected	ug/L	50	8260	9/1/99 18:01	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/1/99 18:01	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/1/99 18:01	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-4
Prism Sample ID: AB39913
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 15:00
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/1/99 18:01	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/1/99 18:01	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/1/99 18:01	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/1/99 18:01	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	0.11	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	0.0004	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-5
Prism Sample ID: AB39914
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:15
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
BROMOFORM	Not detected	ug/L	5	8260	9/1/99 18:41	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/1/99 18:41	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-5
Prism Sample ID: AB39914
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:15
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
STYRENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
TOLUENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
TRICHLOROETHENE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
VINYL CHLORIDE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/1/99 18:41	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	50	8260	9/1/99 18:41	MP
ACETONE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
2-BUTANONE (MEK)	Not detected	ug/L	50	8260	9/1/99 18:41	MP
CARBON DISULFIDE						

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-5
Prism Sample ID: AB39914
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:15
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/1/99 18:41	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/1/99 18:41	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/1/99 18:41	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/1/99 18:41	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	0.30	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	Less than	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-6
Prism Sample ID: AB39915
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:45
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
BROMOFORM	Not detected	ug/L	5	8260	9/1/99 19:22	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/1/99 19:22	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-6
Prism Sample ID: AB39915
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:45
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
STYRENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
TOLUENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/1/99 19:22	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
ACETONE	Not detected	ug/L	50	8260	9/1/99 19:22	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/1/99 19:22	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/1/99 19:22	MP

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-6
Prism Sample ID: AB39915
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:45
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/1/99 19:22	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/1/99 19:22	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/1/99 19:22	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/1/99 19:22	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	Less than	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	Less than	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-10
Prism Sample ID: AB39916
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 13:45
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
BROMOFORM	Not detected	ug/L	5	8260	9/1/99 20:02	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/1/99 20:02	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-10
Prism Sample ID: AB39916
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 13:45
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
STYRENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
TOLUENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/1/99 20:02	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
ACETONE	Not detected	ug/L	50	8260	9/1/99 20:02	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/1/99 20:02	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/1/99 20:02	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-10
Prism Sample ID: AB39916
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 13:45
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/1/99 20:02	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/1/99 20:02	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/1/99 20:02	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/1/99 20:02	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	0.10	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	Less than	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-11
Prism Sample ID: AB39917
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:30
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
BROMOFORM	Not detected	ug/L	5	8260	9/1/99 20:43	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/1/99 20:43	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-11
Prism Sample ID: AB39917
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:30
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
STYRENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
TOLUENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/1/99 20:43	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
ACETONE	Not detected	ug/L	50	8260	9/1/99 20:43	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/1/99 20:43	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/1/99 20:43	MP

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: MW-11
Prism Sample ID: AB39917
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:30
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/1/99 20:43	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/1/99 20:43	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/1/99 20:43	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/1/99 20:43	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	0.15	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	Less than	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

Lab Report

PRISM LABORATORIES, INC.
Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: EQ. BLANK
Prism Sample ID: AB39918
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:10
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
BROMOFORM	Not detected	ug/L	5	8260	9/2/99 12:24	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/2/99 12:24	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: EQ. BLANK
Prism Sample ID: AB39918
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:10
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
STYRENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
TOLUENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/2/99 12:24	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
ACETONE	Not detected	ug/L	50	8260	9/2/99 12:24	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/2/99 12:24	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/2/99 12:24	MP

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: EQ. BLANK
Prism Sample ID: AB39918
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99 14:10
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/2/99 12:24	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/2/99 12:24	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/2/99 12:24	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/2/99 12:24	MP

METALS DIGESTION	Completed			EPA 200.7	8/26/99 11:30	GRR
ARSENIC, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
SELENIUM, TOTAL	Less than	mg/L	0.010	EPA 200.7	8/26/99 19:30	MSP
CADMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
CHROMIUM, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
LEAD, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
SILVER, TOTAL	Less than	mg/L	0.005	EPA 200.7	8/26/99 19:30	MSP
BARIUM, TOTAL	Less than	mg/L	0.1	EPA 200.7	8/26/99 19:30	MSP
MERCURY, TOTAL	Less than	mg/L	0.0002	EPA 245.1	9/7/99 14:00	GRR
MERCURY DIGESTION	Completed			EPA 245.1	9/7/99 08:00	GRR

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: TRIP BLANK
Prism Sample ID: AB39919
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
BENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
BROMOBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
BROMOCHLOROMETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
BROMODICHLOROMETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
BROMOFORM	Not detected	ug/L	5	8260	9/2/99 13:09	MP
BROMOMETHANE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
N-BUTYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
SEC-BUTYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
TERT-BUTYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
CHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
CHLORODIBROMOMETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
CHLOROETHANE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
CHLOROFORM	Not detected	ug/L	5	8260	9/2/99 13:09	MP
CHLOROMETHANE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
2-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
4-CHLOROTOLUENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2-DIBROMO-3-CHLOROPROPANE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
1,2-DIBROMOETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
DIBROMOMETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,3-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,4-DICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
DICHLORODIFLUOROMETHANE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
1,1-DICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2-DICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,1-DICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
CIS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
TRANS-1,2-DICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,3-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: TRIP BLANK
Prism Sample ID: AB39919
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
2,2-DICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,1-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
ETHYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
HEXACHLOROBUTADIENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
ISOPROPYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
P-ISOPROPYLTOLUENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
METHYLENE CHLORIDE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
NAPHTHALENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
N-PROPYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
STYRENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,1,1,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,1,2,2-TETRACHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
TETRACHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
TOLUENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2,3-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2,4-TRICHLOROBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,1,1-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,1,2-TRICHLOROETHANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
TRICHLOROETHENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
TRICHLOROFLUOROMETHANE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
1,2,3-TRICHLOROPROPANE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,2,4-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
1,3,5-TRIMETHYLBENZENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
VINYL CHLORIDE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
TOTAL XYLENES	Not detected	ug/L	5	8260	9/2/99 13:09	MP
cis-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
trans-1,3-DICHLOROPROPENE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
ACETONE	Not detected	ug/L	50	8260	9/2/99 13:09	MP
2-BUTANONE (MEK)	Not detected	ug/L	10	8260	9/2/99 13:09	MP
CARBON DISULFIDE	Not detected	ug/L	50	8260	9/2/99 13:09	MP

449 Springbrook Road ▲ P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Toll Free Number: 1-800/529-6364 ▲ Fax: 704/525-0409

Lab Report

PRISM LABORATORIES, INC.

Full Service Analytical & Environmental Solutions

9/8/99

Mr. Tom Bolyard
Enviro-Pro, P.C.
15101 Regena Lane
Charlotte, NC 28278

Customer Project ID: NMLF
Customer Sample ID: TRIP BLANK
Prism Sample ID: AB39919
Login Group: 9942E8
Sample Collection Date/Time: 8/25/99
Lab Submittal Date/Time: 8/25/99 15:20

The following analytical results have been obtained for the indicated sample which was submitted to this laboratory:

TEST PARAMETER	TEST RESULT	UNITS	MDL	METHOD REFERENCE	DATE/TIME STARTED	ANALYST
CARBON TETRACHLORIDE	Not detected	ug/L	5	8260	9/2/99 13:09	MP
2-CHLOROETHYLVINYLETHER	Not detected	ug/L	10	8260	9/2/99 13:09	MP
2-HEXANONE	Not detected	ug/L	10	8260	9/2/99 13:09	MP
4-METHYL-2-PENTANONE (MIBK)	Not detected	ug/L	10	8260	9/2/99 13:09	MP

Sample Comments:

Angela D. Overcash, V.P. Laboratory Services

CHAIN OF CUSTODY RECORD

PAGE 1 OF 1 QUOTE #

PRISM LABORATORIES, INC.
449 Springbrook Road ▲ Charlotte, NC 28217
P.O. Box 240543 ▲ Charlotte, NC 28224-0543
Phone: 704/529-6364 ▲ Fax: 704/525-0409

Full Service Analytical & Environmental Solutions

PRESS DOWN FIRMLY - 3 COPIES

LAB USE ONLY	YES	NO	N/A
Samples INTACT upon arrival?	✓		
Received ON WET ICE? Temp 10.2	✓		
PROPER PRESERVATIVES indicated?	✓		
Received WITHIN HOLDING TIMES?	✓		
CUSTODY SEALS INTACT?			✓
VOLATILES rec'd W/OUT HEADSPACE?	✓		
PROPER CONTAINERS used?	✓		

Client: Enviro-Pro, P.C.
Physical Address: 1510 Regena Ln. Charlotte, NC 28278
Phone: 583-0075 Fax:
P.O.#/Billing Reference: EP-1217
Project Name: NMLF

REPORT TO: Name: T. Bolyard
Address: Same
BILL TO: Name:
Address: Same
Requested Due Date: 2 wks

(SEE REVERSE SIDE FOR RUSH TURNAROUND FEES)

State Certification
Requested NC ✓ SC ___ Other ___ NA ___
Water Chlorinated Yes ___ No ___ NA ✓
Sample Iced Upon Collection Yes ✓ No ___

CLIENT SAMPLE DESCRIPTION	DATE COLLECTED	TIME COLLECTED MILITARY HOURS	MATRIX (SOIL, WATER OR SLUDGE)	SAMPLE CONTAINER *TYPE SEE BELOW	NO.	SIZE	PRESERVATIVES	ANALYSES REQUESTED 8 RCRA Metals	8260	REMARKS	SUB LAB CERT. ID NO.	PRISM LAB ID NO.
MW-1	8-25-99	14:00	Water	P/VOA	1/2	500ml/40ml	HNO3/HCL	✓	✓			39912
MW-4		15:00						✓	✓			39913
MW-5		14:15						✓	✓			39914
MW-6		14:45						✓	✓			39915
MW-10		13:45						✓	✓			39916
MW-11		14:30						✓	✓			39917
Eq. Bl		14:10						✓	✓			39918
Trip Bl.				VOA	2	40ml.	HCL		✓			39919

Sampler's Signature: T. Bolyard Sampled By (Print Name): T. Bolyard Affiliation: Enviro-Pro

		Date	Military/Hours
Relinquished By: (Signature) T. Bolyard	Received By: (Signature)		
Relinquished By: (Signature)	Received By: (Signature)	Date 8/25/99	15:20
Relinquished By: (Signature)	Received For Prism Laboratories By: Michelle King	Date 8/25/99	1520
Method of Shipment		Log-In Group No. 94DE8	

Additional Comments

NPDES NC ___ SC ___ OTHER ___ UST: NC ___ SC ___ OTHER ___ GROUNDWATER: NC ___ SC ___ OTHER ___ DRINKING WATER: NC ___ SC ___ OTHER ___ SOLID WASTE: NC ___ SC ___ OTHER ___ OTHER: NC ___ SC ___ OTHER ___

*CONTAINER TYPE CODES: A = Amber C = Clear G = Glass P = Plastic; TL = Teflon-Lined Cap VOA = Volatile Organics Analysis (Zero Head Space)

SEE REVERSE FOR TERMS & CONDITIONS

FINAL REPORT COPY

WELL DEVELOPMENT, PURGE, AND SAMPLE RECORD

CLIENT: North Mecklenburg Landfill
LOCATION: 15300 Holbrooks Road
PROJECT NAME/DESCRIPTION: North Meck. Landfill
DATE OF WATER LEVEL MEASUREMENTS: 8-25-99

DEVELOP:
PURGING: ✓
SAMPLING: ✓

PROJECT NO.: EP-1217
PROJ. MGR.: FB
CHECKED BY:
PREPARED BY: FB

Sample ID	A Well No.	B Sample Date	C Time (hrs)	D Well Depth (ft)	E MP Elevation (ft)	F Depth to Water (ft-bmp)	(E - F) = G Water Level Elevation (ft)	(D - F) = H Hgt. of Water Col. (ft)	I Volume of Water (gal)*	Vol. of Water Pgd. (gal)**	Temp. (°C)	Specific Cond. (umhos)	pH	Turbidity or Appearance
	MW-1	8-25-99	14:00	25		15.31		9.69	1.6	5.0				
	MW-4	"	15:00	42		31.89		10.11	1.6	5.0				
	MW-5	"	14:15	55		30.15		24.85	4.05	12.5				
	MW-6	"	14:45	67		59.84		7.16	1.17	4.0				
	MW-10	"	13:45	19		12.81		6.19	1.0	3.0				
	MW-11	"	14:30	80		70.15		9.85	1.6	5.0				

Comments:

*To calculate volume of water in the well multiply "H" by 0.163 for a 2" well, 0.652 for a 4" well, or 1.469 for a 6" well.

**To calculate purge volume, multiply "I" by the desired number of well volumes (e.g., 3 to 5).
(e.g., after each well volume).