ASH TCLP LABORATORY TEST RESULTS

Burlington Research

Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27

ANALYTICAL REPORT

CUSTOMER: FIELDCREST CANNON, INC.
FACILITY: WWTP #1 P.O. Box 107
REPORT TO: Mr. Vic Holland

SAMPLE: TCLP Analysis
Plant 1 Fly Ash Grab 11/18

WORK ORDER #: 92-12-00
COLLECTED: 11/18/92
RECEIVED: 12/01/92
REPORTED: 12/29/92

PARAMETER	METHOD	STARTED	ANALYZED	RESULT
TCLP Filter Test/% Solids	EPA 1311	12/01/92	12/01/92	51.6/30.4 % Wet/Dry
TCLP Pesticides/Herbicides	EPA8080/8150	12/02/92	12/09/92	Attached
TCLP Semivolatile Organics	EPA8270/TCLP	12/02/92	12/09/92	Attached
TCLP Volatile Organics	EPA8240/TCLP	12/02/92	12/08/92	Attached
✓TCLP Arsenic	EPA 206.2	12/02/92	12/09/92	0.019 mg/L
✓TCLP Barium	EPA 208.1	12/02/92	12/08/92	2.86 mg/L
✓TCLP Cadmium	EPA 213.1	12/02/92	12/07/92	<0.005 mg/L
✓TCLP Chromium	EPA 218.1	12/02/92	12/07/92	<0.05 mg/L
✓TCLP Lead	EPA 239.1	12/02/92	12/09/92	<0.05 mg/L
✓TCLP Mercury	EPA 245.2	12/02/92	12/09/92	<0.0002 mg/L
✓TCLP Selenium	EPA 270.2	12/02/92	12/08/92	<0.005 mg/L
✓TCLP Silver	EPA 272.1	12/02/92	12/08/92	<0.01 mg/L

Burlington Research

Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216

TCLP VOLATILE ORGANICS
(EPA METHOD 8260)

WORK ORDER #: 92-12-003-01
METHOD QUANTITATION LIMIT (MDL) IN MG/L: See Below

	ANALYTE	REGULATORY LEVEL (mg/L)		MQL	CONC. (mg/L)
		EPA	NCDEM		
1	CHLOROFORM	6.0	0.6	0.005	*
2	CARBON TETRACHLORIDE	0.5	0.05	0.005	*
3	TETRACHLOROETHENE	0.7	0.07	0.005	*
4	CHLOROBENZENE	100.0	10.0	0.005	*
5	1,2-DICHLOROETHANE	0.5	0.05	0.005	*
6	BENZENE	0.5	0.05	0.005	*
7	VINYL CHLORIDE	0.2	0.02	0.005	*
8	1,1-DICHLOROETHENE	0.7	0.07	0.005	*
9	TRICHLOROETHENE	0.5	0.05	0.005	*
10	1,4-DICHLOROBENZENE	7.5	0.75	0.005	*
11	2-BUTANONE (MEK)	200.0	20.0	0.10	*

* = Below Quantitation Limit
Results are for amounts found in TCLP/ZHE extract.

tclpvonc.frm
Revised 5/92

Burlington Research

Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2

TCLP SEMIVOLATILE ORGANICS
(EPA METHOD 8270)

WORK ORDER #: 92-12-003-01
METHOD QUANTITATION LIMIT (MQL) IN MG/L: See Below

	ANALYTE	REGULATORY LEVEL (mg/L)		MQL	CONC. (mg/L)
		EPA	NCDEM		
1	CRESOL (Total)	200.0	20.0	0.010	*
2	1,4-DICHLOROBENZENE	7.5	0.75	0.010	*
3	2,4-DINITROTOLUENE	0.13	0.013	0.010	*
4	HEXACHLOROBENZENE	0.13	0.013	0.010	*
5	HEXACHLORO-1,3-BUTADIENE	0.5	0.05	0.010	*
6	HEXACHLOROETHANE	3.0	0.3	0.010	*
7	NITROBENZENE	2.0	0.2	0.010	*
8	PENTACHLOROPHENOL	100.0	10.0	0.050	*
9	PYRIDINE	5.0	0.5	0.010	*
10	2,4,5-TRICHLOROPHENOL	400.0	40.0	0.010	*
11	2,4,6-TRICHLOROPHENOL	2.0	0.2	0.010	*

* Below Method Quantitation Limit (MQL).
Results are for amounts found in the TCLP extract.

tclpsvnc.frm
Revised 5/92

Burlington Research

Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 2721

TCLP PESTICIDES AND HERBICIDES
(EPA METHOD 8080 AND 8150)

WORK ORDER #: 92-12-003-01
METHOD DETECTION LIMIT (MDL) IN mg/L: See Below

	ANALYTE	REGULATORY LEVEL (mg/L)		MDL	CONC. (mg/L)	
		EPA	NCDEM			
1	CHLORDANE	0.03	0.003	0.01	*	1
2	ENDRIN	0.02	0.002	0.001	*	2
3	HEPTACHLOR	0.008	0.0008	0.001	*	3
4	HEPTACHLOR EPOXIDE	0.008	0.0008	0.001	*	4
5	LINDANE	0.40	0.04	0.001	*	5
6	METHOXYCHLOR	10.00	1.0	0.002	*	6
7	TOXAPHENE	0.50	0.05	0.01	*	7
8	2,4-D	10.00	1.0	0.005	*	8
9	2,4,5-TP (SILVEX)	1.00	0.1	0.005	*	9

* Below Method Detection Limit (MDL).
Results are for amounts found in TCLP extract.

tclpphnc.frm
Revised 5/92

Burlington Research

Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-

TCLP METALS

WORK ORDER #: 92-12-003-01
METHOD DETECTION LIMIT (MDL) IN mg/L: See Below

	ANALYTE	EPA METHOD	REGULATORY LEVEL (mg/L)		MDL	CONC. (mg/L)
			EPA	NCDEM LANDFILL		
1	ARSENIC	206.2	5.0	0.50	0.005	0.019
2	BARIUM	208.1	100.0	10.00	0.10	2.86
3	CADMIUM	213.1	1.0	0.10	0.005	*
4	CHROMIUM	218.1	5.0	0.50	0.05	*
5	LEAD	239.1	5.0	0.50	0.05-?	*
6	MERCURY	245.2	0.2	0.02	0.0002	*
7	SELENIUM	270.2	1.0	0.1	0.005	*
8	SILVER	272.1	5.0	0.5	0.01	*

* Below Method Detection Limit (MDL).
Results are for amounts found in TCLP ...tract.

tclpmtnc.frm
Revised 5/92

* Arsenic requires careful monitoring because it istoxic to animals AND it accumotates in plants grown ON fly ash ammended soil

consultation
EFEH & ASSOCIATES
10919 SAGEWIND DRIVE • HOUSTON, TEXAS 77089 • TELEPHONE (713) 996-5031

May 18, 1993

Mr. Roger Settlemyer
Fieldcrest Cannon, Inc. - Plant #1
P.O. Box 107
Kannapolis, North Carolina 28082

Dear Mr. Settlemyer:

Following are the results of the solid sample submitted to our laboratory for analyses on April 30, 1993:

P.O. #: 80-593650

PLANT #1 Boiler 4, 5 and 6

SAMPLE I.D.	Boiler #456 - 1 4/26/93 2:00 PM
LAB NO.	G-6383

PRIORITY POLLUTANTS

Antimony	<0.01
Arsenic	33.25
Barium	466.00
Beryllium	1.90
Boron	55.10
Cadmium	6.85
Chromium	31.75
Copper	61.95
Lead	9.55
Manganese	279.95
Mercury	0.041
Nickel	35.05
Selenium	33.60
Silver	<0.01
Thallium	<0.01
Vanadium	48.20
Zinc	25.15

NOTE: Units expressed in mg/Kg, unless otherwise noted.

VOLATILES

Chloromethane	<120
Bromomethane	<120

EFEH & ASSOCIATES

SAMPLE I.D.	Boiler #456 - 1 4/26/93 2:00 PM
LAB NO.	G-6383
Vinyl Chloride	<120
Chloroethane	<120
Methylene Chloride	<120
Acetone	<120
1,1-Dichloroethene	<120
1,1-Dichloroethane	<120
trans-1, 2-Dichloroethane	<120
Chloroform	<120
1,2-Dichloroethane	<120
2-Butanone	<120
1,1,1-Trichloroethane	<120
Carbon Tetrachloride	<120
Bromodichloromethane	<120
1,2-Dichloropropane	<120
cis-1,3-Dichloropropene	<120
trans-1,3-Dichloropropene	<120
Trichloroethene	<120
Dibromochloromethane	<120
1,1,2-Trichloroethane	<120
Benzene	<120
Bromoform	<120
Tetrachloroethene	<120
1,1,2,2-Tetrachloroethane	<120
Toluene	<120
Chlorobenzene	<120
Ethylbenzene	<120
Styrene	<120
m,p-Xylene	<120
o-Xylene	<120

NOTE: Units expressed in ug/Kg, unless otherwise noted.

BASE NEUTRALS AND ACIDS

Pyridine	<540
N-Nitrosodimethylamine	<540
Phenol	<540
Aniline	<540
bis(2-Chloroethyl)ether	<540
2-Chlorophenol	<540
1,3-Dichlorobenzene	<540
1,4-Dichlorobenzene	2800
Benzyl alcohol	<540
1,2-Dichlorobenzene	<540
o-Cresol	<540

EFEH & ASSOCIATES

SAMPLE I.D.	Boiler #456 - 1 4/26/93 2:00 PM
LAB NO.	G-6383
2,2'-oxybis(1-Chloropropane)	<540
m,p-Cresol	<540
N-Nitroso-di-n-propylamine	<540
Hexachloroethane	<540
Nitrobenzene	<540
Isophorone	<540
2-Nitrophenol	<540
2,4-Dimethylphenol	<540
Benzoic acid	2000
bis(2-Chloroethoxy)methane	<540
2,4-Dichlorophenol	<540
1,2,4-Trichlorobenzene	<540
Naphthalene	1100
4-Chloroaniline	<540
Hexachlorobutadiene	<540
4-Chloro-3-cresol	<540
2-Methylnaphthalene	1500
Hexachlorocyclopentadiene	<540
2,4,6-Trichlorophenol	<540
2,4,5-Trichlorophenol	<540
2-Chloronaphthalene	<540
2-Nitroaniline	<540
Dimethylphthalate	630
Acenaphthylene	<540
2,6-Dinitrotoluene	<540
3-Nitroaniline	<540
Acenaphthene	<540
2,4-Dinitrophenol	<540
4-Nitrophenol	<540
Dibenzofuran	<540
2,4-Dinitrotoluene	<540
Diethylphthalate	<540
4-Chlorophenyl-phenylether	<540
Fluorene	<540
4-Nitroaniline	<540
4,6-Dinitro-2-cresol	<540
N-Nitrosodiphenylamine (1)	<540
1,2-Diphenylhydrazine	<540
4-Bromophenyl-phenylether	<540
Hexachlorobenzene	<540
Pentachlorophenol	<540
Phenathrene	<540
Anthracene	<540
Di-n-butylphthalate	1800
Fluoranthene	<540
Benzidine	<540

SAMPLE I.D.	Boiler #456 - 1 4/26/93 2:00 PM
LAB NO.	G-6383
Pyrene	<540
Butylbenzylphthalate	1000
3,3'-Dichlorobenzidine	<540
Benzo(a)anthracene	<540
Chrysene	<540
bis(2-Ethylhexyl)phthalate	1500
Di-n-octylphthalate	<540
Benzo(b)fluoranthene	<540
Benzo(k)fluoranthene	<540
Benzo(a)pyrene	<540
Indeno (1,2,3-cd)pyrene	<540
Dibenz(a,h)anthracene	<540
Benzo(g,h,i)perylene	<540

NOTE: Units expressed in ug/Kg, unless otherwise noted.

PESTICIDES & HERBICIDES

Aldrin	<0.004
Alpha - BHC	<0.01
Beta - BHC	<0.01
Delta - BHC	<0.01
Gamma - BHC (Lindane)	<0.004
Chlordane	<0.014
4-4' - DDD	<0.012
4-4' - DDE	<0.01
4-4' - DDT	<0.01
Dieldrin	<0.02
Alpha-endosulfan	<0.02
Beta-endosulfan	0.001
Endosulfan Sulfate	0.001
Endrin	<0.01
Endrin Aldehyde	<0.08
Heptachlor	<0.004
Heptachlor Epoxide	<0.004
Methoxychlor	<0.04
Toxaphene	<0.02
2,4-D	<0.01
2,4,5-TP (Silvex)	<0.01

NOTE: Units expressed in mg/Kg, unless otherwise noted.

EFEH & ASSOCIATES

SAMPLE I.D.	Boiler #456 - 1 4/26/93 2:00 PM
LAB NO.	G-6383

PCB's

PCB 1016	<40
PCB 1221	<40
PCB 1232	<40
PCB 1242	<40
PCB 1248	<40
PCB 1254	<40
PCB 1260	<40

NOTE: Units expressed in ug/Kg, unless otherwise noted.

METHODS: PRIORITY POLLUTANTS - EPA 6010/7471
VOLATILES - EPA 8240
BASE NEUTRALS AND ACIDS - EPA 8270
PESTICIDES & HERBICIDES - EPA 8080/8140/8150
PCB's - EPA 8080

Please contact me if you have any questions concerning these results.

Sincerely,

Edwin B. Smith, Jr.

Edwin B. Smith, Jr. PhD

EFEH & ASSOCIATES
10919 SAGEWING DRIVE • HOUSTON, TEXAS 77089 • TELEPHONE (713) 996-5031

May 18, 1993

Mr. Roger Settlemyer
Fieldcrest Cannon, Inc. - Plant #1
P.O. Box 107
Kannapolis, North Carolina 28082

Dear Mr. Settlemyer:

Following are the results of the solid sample submitted to our laboratory for analyses on April 30, 1993:

P.O. #: 80-593650

SAMPLE I.D.	Composite of Samples Boiler #6 - 2, #5 - 3, and #4 - 4 4/26/93 2:00 PM
LAB NO.	G-6384
TCLP INORGANICS (Leachate)	
Arsenic, mg/L	0.02
Barium, mg/L	0.01
Cadmium, mg/L	0.07
Chromium, mg/L	0.08
Copper, mg/L	0.06
Lead, mg/L	0.17
Mercury, mg/L	<0.002
Nickel, mg/L	0.38
Selenium, mg/L	0.07
Silver, mg/L	<0.01
Zinc, mg/L	0.26
TCLP ORGANICS	
Endrin	<0.005
Lindane	<0.01
Methoxychlor	<0.01
Toxaphene	<0.01
2,4-D	<0.01
Silvex	<0.01
Benzene	<0.01
Carbon Tetrachloride	<0.01

EFEH & ASSOCIATES

SAMPLE I.D.	Composite of Samples Boiler #6 - 2, #5 - 3, and #4 - 4 4/26/93 2:00 PM
LAB NO.	G-6384
Chlordane	<0.01
Chlorobenzene	<0.01
Chloroform	<0.01
o-Cresol	<0.01
m,p-Cresol	<0.01
1,4-Dichlorobenzene	<0.01
1,2-Dichloroethane	<0.01
1-1-Dichloroethylene	<0.01
2,4-Dinitrotoluene	<0.01
Heptachlor	<0.004
Hexachlorobenzene	<0.01
Hexachloro-1,3-butadiene	<0.01
Hexachloroethane	<0.01
Methyl Ethyl Ketone	<0.01
Nitrobenzene	<0.01
Pentachlorophenol	<0.01
Pyridine	<0.01
Tetrachloroethylene	<0.01
Trichloroethylene	<0.01
2,4,5-Trichlorophenol	<0.01
2,4,6-Trichlorophenol	<0.01
Vinyl Chloride	<0.01

NOTE: Units expressed in mg/L, unless otherwise noted.

METHODS: TCLP INORGANICS (Leachate) - EPA 1311/6010/7470
TCLP ORGANICS - EPA 8015/8020/8080/8150

Please contact me if you have any questions concerning these results.

Sincerely,

Edwin B. Smith, Jr.

Edwin B. Smith, Jr. PhD

Copy to [illegible] + Tracy Jacobs

EnviroTech Mid-Atlantic
Virginia Tech Research Center
1861 Pratt Drive
Blacksburg, Virginia 24060
(703) 231-3983 FAX (703) 231-3984

APRIL 20, 1992

CLIENT : FIELDCREST CANNON
ADDRESS: P O BOX 107
KANNAPOLIS, NC 28082

REPORT # :3549
DATE RECEIVED:4/08/92

ATTENTION:BARBARA SIFFORD
REFERENCE:FLY ASH-NCF
PROJECT NO:
PURCHASE ORDER:B SIFFORD

FAX: 704-939-2714

SAMPLE IDENTIFICATION AND ANALYSIS RESULTS

SAMPLE	FIELD ID	DATE
3549A	FLY ASH-NCF	4-7-92

ANALYSIS	D/L	SAMPLE 3549A ID FLY ASH-NCF
TCLP (ppb)		
Benzene	25	ND
Carbon tetrachloride	25	ND
Chlordane	1	ND
Chlorobenzene	25	ND
Chloroform	25	ND
o-Cresol	10	ND
m-Cresol	20	ND
p-Cresol	20	ND
2,4-D	0.1	ND
1,4-Dichlorobenzene	25	ND
1,2-Dichloroethane	25	ND
1,1-Dichloroethylene	25	ND
2,4-Dinitrotoluene	10	ND
Endrin	0.5	ND
Heptachlor	0.5	ND
Heptachlor epoxide	0.5	ND
Hexachlorobenzene	10	ND
Hexachloro-1, 3-butadiene	10	ND
Hexachloroethane	10	ND
Lindane	0.5	ND
Methoxychlor	0.5	ND
Methyl ethyl ketone (MEK)	500	ND
Nitrobenzene	10	ND
Pentachlorophenol	50	ND
Pyridine	10	ND
Tetrachloroethylene	25	ND
Toxaphene	1	ND

ANALYSIS	D/L	SAMPLE 3549A ID FLY ASH-NCF
TCLP CONT'D (ppb)		
Trichloroethylene	25	ND
2,4,5-Trichlorophenol	10	ND
2,4,6-Trichlorophenol	10	ND
2,4,5-TP (Silvex)	1	ND
Vinyl chloride	50	ND
TCLP METALS (mg/L)		
ARSENIC (As)	0.002	0.060
BARIUM (Ba)	0.1	1.0
CADMIUM (Cd)	0.005	0.020
CHROMIUM (Cr)	0.05	ND
LEAD (Pb)	0.1	0.2
MERCURY (Hg)	0.0001	ND
SILVER (Ag)	0.05	ND
SELENIUM (Se)	0.002	0.084
TOTAL METALS (mg/kg)		
ARSENIC (As)	0.02	25
BARIUM (Ba)	1	485
CADMIUM (Cd)	0.05	0.84
CHROMIUM (Cr)	0.5	20.9
LEAD (Pb)	1	32
MERCURY (Hg)	0.001	0.38
SILVER (Ag)	0.5	0.5
SELENIUM (Se)	0.02	13
MOLYBDENUM (Mo)	1	1
SODIUM (Na)	20	482
MAGNESIUM (Mg)	0.05	2,629
CALCIUM (Ca)	20	28,500

D/L - DETECTION LIMIT ND - NOT DETECTED

QUALITY CONTROL DATA

	%STD	%SPIKE	%RD
TCLP METALS			
ARSENIC	100	108	0
BARIUM	99	92	4
CADMIUM	97	97	6
CHROMIUM	100	106	0
LEAD	100	118	0
MERCURY	95	100	0
SILVER	100	97	0
SELENIUM	100	87	0

QUALITY CONTROL DATA

	%STD	%SPIKE	%RD
TOTAL METALS			
ARSENIC	100	108	0
BARIUM	99	92	4
CADMIUM	97	97	6
CHROMIUM	100	106	0
LEAD	100	118	0
MERCURY	95	100	0
SILVER	100	97	0
SELENIUM	100	87	0
MOLYBDENUM	100	100	0
SODIUM	100	101	5
MAGNESIUM	102	101	1
CALCIUM	110	112	17
TCLP PESTS	100	72	9
TCLP HERBS	100	72	9
TCLP VOLATILES			
1,1 DCE		101	5.9
TCE		96	1.2
C BENZENE		98	2.0
BENZENE		100	1.0
TOLUENE		96	3.1

TCLP SEMIVOLATILES MSR 53% ACID 82% BASE

LABORATORY DIRECTOR
Elizabeth B. Smiley

SOIL TCLP LABORATORY TEST RESULTS

Post Office Box 12846
Research Triangle Park, NC 27709

Phone 919·677·0090
Fax 919·677·0427

IEA
An Aquarion Company

March 3, 1995

Greg Garrett
S&ME Charlotte
9751 Southern Pines Boulevard
Charlotte, NC 28278

IEA Project No.: 147734/9502397
IEA Reference No.: W9502362
Client Project I.D.: 1356-95-133 FIELDCREST CANNON

Dear Mr. Garrett,

Transmitted herewith are the results of analyses on two samples submitted to our laboratory.

The sample(s) were received intact.

Analyses were performed according to approved methodologies and meet the requirements of the IEA Quality Assurance Program except where noted. Please see the enclosed reports for your results and a copy of the Chain of Custody documentation.

Thank you for selecting IEA for your sample analysis. Please do not hesitate to call your project manager representative at 1-919-677-0090 or 1-800-444-9919 should you have any questions regarding this report. We look forward to serving you in the future.

Very truly yours,

IEA, Inc.

William R. Drago
Laboratory Director

IEA
An Aquarion Company

IEA-NORTH CAROLINA CERTIFICATIONS

Certifying State	Program Type	Lab ID #
Alabama	DW	40210
California	DW, WW, HW Radiolog.	I-1035,1768 I-1018 (Rad)
Connecticut	DW, WW	PH-0135
Florida	DW WW (CompQAP)	87350 E87439 QAP#930007G
Georgia	DW	None
Kansas	DW, HW, WW	E-158 (DW, WW) E-1189 (HW)
Kentucky	DW	90049
Massachusetts	DW, WW	M-NC039
New Jersey	DW, WW Radiolog.	67719 67681
New York	Radiolog.	11422
North Carolina	DW WW Radiolog.	DW 37720 WW 84 Rad 37720
South Carolina	DW WW HW	99021
Tennessee	DW UST App List	02914
Utah	Radiolog. RCRA	E-206 E-226
Virginia	DW	00179
West Virginia	DW	9908C
Wisconsin	WW	998051010

DW=Drinking Water WW=Wastewater HW=Hazardous Waste Radiolog.=Radiological

Rev2.01/95

Industrial & Environmental Analysts, Inc. (IEA)

TCLP METALS REGULATED

IEA Project #: 147-734
IEA Sample #: 9502397-01
Client Name: S&ME Charlotte
Client Proj. I.D.: 1356-95-133 FIELDCREST CANNON
Sample I.D.: B- 9 #5

Matrix: Soil
Date Received: 02/21/95
Date Sampled: 02/03/95
TCLP Extraction: 02/22/95

Parameter	Method	N.C. Regulatory Level (mg/L)	Quantitation Limits (mg/L)	Results (mg/L)	Date Prepared	Date Analyzed	Analyst
Mercury	SW-846 7470	0.02	0.002	BQL	02/24/95	02/27/95	JS
Selenium	SW-846 7740	0.10	0.01	BQL	02/23/95	03/01/95	RM
Silver	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW
Arsenic	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW
Barium	SW-846 6010	10.00	1.0	BQL	02/23/95	02/28/95	FW
Cadmium	SW-846 6010	0.10	0.01	BQL	02/23/95	02/28/95	FW
Chromium	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW
Lead	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW

Comments:

Industrial & Environmental Analysts, Inc. (IEA)

TCLP METALS REGULATED

IEA Project #: 147-734
IEA Sample #: 9502397-02
Client Name: S&ME Charlotte
Client Proj. I.D.: 1356-95-133 FIELDCREST CANNON
Sample I.D.: B-24 #27

Matrix: Soil
Date Received: 02/21/95
Date Sampled: 02/06/95
TCLP Extraction: 02/22/95

Parameter	Method	N.C. Regulatory Level (mg/L)	Quantitation Limits (mg/L)	Results (mg/L)	Date Prepared	Date Analyzed	Analyst
Mercury	SW-846 7470	0.02	0.002	BQL	02/24/95	02/27/95	JS
Selenium	SW-846 7740	0.10	0.01	BQL	02/23/95	03/01/95	RM
Silver	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW
Arsenic	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW
Barium	SW-846 6010	10.00	1.0	BQL	02/23/95	02/28/95	FW
Cadmium	SW-846 6010	0.10	0.01	BQL	02/23/95	02/28/95	FW
Chromium	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW
Lead	SW-846 6010	0.50	0.05	BQL	02/23/95	02/28/95	FW

Comments:

IEA
An Aquarion Company
3000 WESTON PKWY.
CARY, N.C. 27513
PH # 919-677-0090
FAX # 919-677-0427

CHAIN OF CUSTODY RECORD

NO: 41430

REGULATORY CLASSIFICATION - PLEASE SPECIFY

☐ NPDES ☐ DRINKING WATER ☒ RCRA ☐ OTHER _____

COMPANY: [illegible]

Page 1 of ____

PROJECT #	PROJECT NAME
1356-95-133	Fairchild Cannon

SAMPLERS: (SIGNATURE) [signature]

SAMPLE I.D.	DATE	TIME	COMP	GRAB	STATION LOCATION	# OF CONTAINERS	MATRIX SOIL	MATRIX WATER	TCLP-METALS
B-10 #5	2/3/95	12:45		X	B-10 (13.5'-15.0')	1	1		1
B-25 #7	2/6/95	13:40		X	B-25 (23.5'-25.0')	1	1		1

REQUESTED PARAMETERS

RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED BY	DATE	TIME
P. [signature]	2/20/95	6:00			
RELINQUISHED BY (SIGNATURE)	DATE	TIME	RECEIVED FOR LAB BY	DATE	TIME

IEA QUOTE NO.	IEA RUSH NO.
PROJECT MANAGER (PLEASE PRINT)	**P.O. NO.**
GREG GARRETT	[illegible]

REMARKS ON SAMPLE RECEIPT

☒ BOTTLE INTACT ☐ CUSTODY SEALS
☐ PRESERVED ☐ SEALS INTACT
☐ CHILLED ☐ SEE REMARKS

IEA REMARKS

FIELD REMARKS